

Version 9.30.28 LSR FORM

DISCLAIMER: THIS DOCUMENTATION IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT OBLIGATE FRONTIER TO PROVIDE SERVICES IN THE MANNER DESCRIBED IN THIS DOCUMENT. FRONTIER RESERVES THE RIGHT AS ITS SOLE OPTION TO MODIFY OR REVISE THE INFORMATION IN THIS DOCUMENT AT ANY TIME WITHOUT PRIOR NOTICE. IN NO EVENT SHALL FRONTIER OR ITS AGENTS, EMPLOYEES, DIRECTORS, OFFICERS, REPRESENTATIVES OR SUPPLIERS BE LIABLE UNDER CONTRACT, WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE OF FRONTIER), OR ANY OTHER LEGAL THEORY, FOR ANY DAMAGES ARISING FROM OR RELATING TO THIS DOCUMENT OR ITS CONTENTS, EVEN IF ADVISED OF THE POSSIBLITY OF SUCH DAMAGES. © 2024 Frontier Communications Parent, Inc. All rights reserved.



LSR FORM Effective: 10/20/2024

Contents

Section ADMINISTRATIVE	5
CCNA - Customer Carrier Name Abbreviation	5
PON – Purchase Order Number	5
VER – Version	
LOCQTY – Location Quantity	6
HTQTY – Hunt Group Quantity	
AN – Account Number	7
ATN – Account Telephone Number	7
D/TSENT – Date/ time sent	
DSPTCH – Dispatch Required	9
DDD – Desired Due Date	9
APPTIME – Appointment Time - DDD	
DDDO- Desired Due Date Out	
NOR – Number of Requests	11
APPTIME- Appointment Time - DDDO	11
DFDT – Desired Frame Due Time	
PROJECT – Project Identification	13
PROJINDR – Project Indicator	13
CHC-Coordinated Hot Cut	13
REQTYP – Request Type	14
P – Product Arrangement	15
SLI –Sub Loop Indicator	15
ACT – Activity	
ADET – Activity Detail	17
SUP – Supplement Type	17
EXP – Expedite	21
APPTRESID – Appointment Response Identifier	21
CC – Company Code	
PID - Personal Identifier	
NNSP – New Network Service Provider Identification	
ONSP – Old Network Service Provider	23
AENG – Additional Engineering	
SCA – special Construction Authorization	
AGAUTH – Agency Authorization Status	
ACTL – Access Customer Terminal Location	
SACTL – Secondary Access Customer Terminal Location	25

FRONTIER BUSINESS RULES Version: 9.30.28

FRONTIER BUSINESS RULES Version: 9.30.28

	INIT – Initiator Identification	45
	TEL NO – Initiator Telephone Number	46
	EMAIL – Electronic Mail	
	FAX NO – Facsimile Number	
	IMPCON – Implementation Contact	
	TEL NO – Implementation Contact Telephone Number	47
	PAGER – Implementation Contact Pager Number	47
	ALT IMPCON – Alternate Implementation Contact	48
	TEL NO – Alternate Implementation Contact Telephone Number	48
	PAGER – Alternate Implementation Contact Pager Number	
RI	EMARKS Section	
	REMARKS – Remarks	
A	PENDIX A: ERROR MESSAGE TABLE	49
A	PENDIX B – CHANGE CONTROL LOG	64



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
Sectio	on ADMINISTR/	ATIVE					
001	CCNA - Customer Carrier Name Abbreviation	Identifies the COMMON LANGUAGE IAC code for the customer	A	3-3		 If not populated, then return error: FTRLSR001 CUSTOMER CARRIER NAME ABBREVIATION REQUIRED If populated and vv = CUS and CC is not populated, then return error: FTRLSR002 CCNA OF 'CUS' REQUIRES AN ENTRY IN CC If populated and dl not = 3 characters, then return error: FTRLSR003 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS If populated and dc not = alpha, then return error: FTRLSR004 CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS If populated and vv = CUS and position 2 of TOS = F, P, then return error: FTRLSR319 VALUE OF CUS PROHIBITED WITH TOS SELECTED If populated and vv = CUS and position 2 of PS.LTOS = P, then return error: FTRLSR033 CCNA VALID VALUE = CUS IS PROHIBITED Note: The format and structure of this field is defined by ATIS in document 0300251, Codes for Identification of Service Providers for Information Exchange or by COMMON LANGUAGE in BR 751-100-112. For an occasional customer who has not and probably will not obtain a CCNA, enter 'CUS' in this field Valid IAC codes are outlined maintained by Telcordia Technologies 	R
002	PON – Purchase Order Number	Identifies the customer's unique purchase order or requisition number that authorizes the issuance of this request or supplement.	AN	4-16		 If populated and (dl < 4 or > 16), then return error: FTRLSR006 PURCHASE ORDER NUMBER MUST BE 4 TO16 CHARACTERS If not populated, then return error: FTRLSR007 PURCHASE ORDER NUMBER IS REQUIRED If populated and special character not = hyphen, then return error: FTRLSR008 ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN If populated and vv contains lower case alpha characters, return error FTRLSR213 PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS 	R
003	BOPI					FRONTIER DOES NOT SUPPORT	Р



Version: 9.30.28

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Bules/Edits	R/O/P
Nbr 004	VER – Version	Identifies the customer's version number.	N	2-2	Range of Values 00-99	Rules/Edits 1. If not populated and SUP is populated, then return error: FTRLSR009 VERSION REQUIRED WITH SUP 2. If populated and dl not = 2 characters, then return error: FTRLSR010 VERSION DATA LENGTH MUST BE 2 CHARACTERS 3.If populated and dc does not = numeric, return error FTRLSR180 VER MUST BE NUMERIC 4. If VER is populated and SUP is populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLSR454 VER MUST BE INCREMENTED ON SUP ORDERS 5.If not populated, return error FTRLSR037 VERSION REQUIRED Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved.	R
005	LOCQTY – Location Quantity	Identifies the number of service locations for the service requested.	N	1-3		 APPTRESID field must be populated with the reservation number. 1.If not populated and REQTYP does not equal CB and ACT does not equal V, then return error: FTRLSR011 LOCATION QUANTITY IS REQUIRED 2. If populated and dc not = numeric, then return error: FTRLSR012 LOCATION QUANTITY MUST BE NUMERIC CHARACTERS 3. If populated and dl > 3, then return error: FTRLSR38 LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS 	C
006	HTQTY – Hunt Group Quantity	Identifies the quantity of hunt telephone numbers associated with this service request.	N	2-2		 1.If populated and REQTYP does not = DB, EB, NB, PB, QB and ACT does not = C, M, N, T, V, then return error: FTRLSR013 HTQTY IS PROHIBITED FOR REQTYP/ACT 2. If not populated and HGI form is present, then return error: FTRLSR053 HTQTY IS REQUIRED 3. If populated and HGI form is not present, then return error: FTRLSR055 HTQTY IS PROHIBITED 	0



FRONTIER BUSINESS RULES Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
					J	 4. If populated and PS.SDP = C, D, E, F, G, then return error: FTRLSR066 HTQTY IS PROHIBITED 5. If populated and (dl > 2 or dc not = numeric), then return error: ETRLSR070 HTQTY VALUE - 2 NUMERIC 	
007	AN – Account Number	Identifies the main account number assigned by the NSP.	N	10		FTRLSR070 HTQTY VALID VALUE = 2 NUMERIC 1.If populated and REQTYP does not = CB and ACT does not = V, return error FTRLSR483 AN PROHIBITED 2.If populated and dl does not = 10 or dc is not numeric, return error FTRLSR484 AN VALID VALUE = 10 DIGIT NUMERIC 3.If not populated and REQTYP = CB and ACT = V, return error FTRNP532 AN REQUIRED Note: The CSR ATN should be populated in the AN field when REQTYP=CB and ACT=V.	0
008	ATN – Account Telephone Number	Identifies the account telephone number assigned by the NSP.	AN	1 or 10	N, XXXXXXXXX	 1.If populated and REQTYP = AB, BB, CB, JB, then return error: FTRLSR014 ATN NOT ALLOWED FOR REQTYP 2. If not populated and REQTYP = DB and ACT = V and PS.RL is populated and EU.EATN is not populated, then return error: FTRLSR108 ATN IS REQUIRED 3. If not populated and REQTYP = DB,EB and ACT = N, then return error: FTRLSR109 ATN IS REQUIRED 4. If not populated and REQTYP = DB,EB and ACT = T or (ACT = C and PS.LNA or RS.LNA = T), then return error: FTRLSR112 ATN IS REQUIRED 5. If populated and vv = N and (PS.TNS or RS.TNS not = N on any occurrence), then return error: FTRLSR118 ATN VALID VALUE = N IS PROHIBITED 6. If populated and vv not = DL.LTN and AC = A, then return error: FTRLSR120 ATN MUST EQUAL LTN WHEN AC = A 7. If not populated and AC = A, then return error: FTRLSR121 ATN IS REQUIRED 8. If populated and vv not = N and (dl not = 10 or dc not = numeric), then return error: FTRLSR131 ATN VALID VALUE = N OR 10 NUMERIC 	0



Version: 9.30.28

NbrCharLengthRange of ValuesRules/Edits0AN9.If populated and vv = N and ACT does not = N, return error FTRLSR467 ATN MUST BE 10 DIGIT NUMERIC009AANFRONTIER DOES NOT SUPPORT010NATNFRONTIER DOES NOT SUPPORT011NANFRONTIER DOES NOT SUPPORT012SCFRONTIER DOES NOT SUPPORT013PG_OF_FRONTIER DOES NOT SUPPORT014RESIDFRONTIER DOES NOT SUPPORT015D/TSENT -Identifies theVFO /VFO /VFO/LSR-UOM1.Required if REQTYP does not=CB or ACT does not=V. Otherwise if	P P P P P
ATN MUST BE 10 DIGIT NUMERIC 009 AAN 010 NATN 011 NAN 012 SC 013 PG_OF_ 014 RESID	P P P
009 AAN FRONTIER DOES NOT SUPPORT 010 NATN FRONTIER DOES NOT SUPPORT 011 NAN FRONTIER DOES NOT SUPPORT 012 SC FRONTIER DOES NOT SUPPORT 013 PG_OF_ FRONTIER DOES NOT SUPPORT 014 RESID FRONTIER DOES NOT SUPPORT	P P P
010 NATN FRONTIER DOES NOT SUPPORT 011 NAN FRONTIER DOES NOT SUPPORT 012 SC FRONTIER DOES NOT SUPPORT 013 PG_OF_ FRONTIER DOES NOT SUPPORT 014 RESID FRONTIER DOES NOT SUPPORT	P P P
011 NAN FRONTIER DOES NOT SUPPORT 012 SC FRONTIER DOES NOT SUPPORT 013 PG_OF_ FRONTIER DOES NOT SUPPORT 014 RESID FRONTIER DOES NOT SUPPORT	P P
012 SC FRONTIER DOES NOT SUPPORT 013 PG_OF_ FRONTIER DOES NOT SUPPORT 014 RESID FRONTIER DOES NOT SUPPORT	P
013 PG_OF_ FRONTIER DOES NOT SUPPORT 014 RESID FRONTIER DOES NOT SUPPORT	
014 RESID FRONTIER DOES NOT SUPPORT	Р
015 D/TSENT - Identifies the VEO / VEO / VEO / VEO/I SR-LIOM 1 Required if REOTVP does not-CB or ACT does not-V. Otherwise if	Р
Discurrence date and time the time sent USR USR USR Format: Two Digit Century (00- 9) EDI ate/ time sent EDI ant EDI Two Digit Century (00- 9) 2. If populated return errors ETRLSR06 DATE/TIME SENT IS REQUIRED AN EDI Two Digit Norr (00- 12) Two Digit Norr (00- 59) 3. If populated and dc contains : (colon) and positions 5, 6 (MM) not = 01- 12, then return error: FTRLSR446 DATE/TIME SENT MONTH MUST BE 01 – 31 Two Digit Norr (00- 59) EDI Format Two Digit Century (00- 59) 3. If populated and dc contains : (colon) and positions 7, 8 not = 01-31, then return error: FTRLSR446 DATE/TIME SENT MONTH MUST BE 01 – 31 Up obligit Norr (00- 59) EDI Format Two Digit Century (00- 59) 5. If populated and dc contains : (colon) and positions 12, 13 not = 00-59, then return error: FTRLSR447 DATE/TIME SENT MINUTES MUST BE 00-59 EDI Format Two Digit Month (01- 12) Two Digit Day (01-31) Two Digit Month (01- 12) 7. If populated and dc contains : (colon) and positions 15, 16 not = 00-59, then return error: FTRLSR449 DATE/TIME SENT MINUTES MUST BE 00-59 S. If populated and dc contains : (colon) and di not = 14, then return error: FTRLSR207 DATE/TIME SENT MUST BE 14 CHARACTERS Digit Month (01- 12) Two Digit Month (01- 12) 7. If populated and dc doesn't contain : (colon) and di not = 14, then return error: FTRLSR207 DATE/TIME SENT MUST BE 14 CHARACTERS <td>R</td>	R



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits10. If populated and dc doesn't contain : (colon) and positions 7, 8 not =01-31, then return error: FTRLSR209 DATE/TIME SENT DAY MUST BE01 - 31	
						11. If populated and dc doesn't contain : (colon) and positions 9,10 not = 01-12, then return error: FTRLSR210 DATE/TIME SENT HOUR MUST BE 01-12	
						12. If populated and dc doesn't contain : (colon) and positions 11, 12 not = 00-59, then return error: FTRLSR211 DATE/TIME SENT MINUTES MUST BE 00-59	
						13. If populated and dc doesn't contain : (colon) and dc not = numeric in positions 1 through 12, then return error: FTRLSR212 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12	
						14. If populated and dc doesn't contain : (colon) and position 13 and 14 not = to AM or PM, then return error: FTRLSR219 AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/TSENT	
						15. If populated and dc contains : (colon) and dc not = numeric in positions 1 through 8, then return error: FTRLSR295 DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8	
016	DSPTCH – Dispatch Required	Indicates a dispatch is required.	A	1	Y	1.If populated and vv does not = Y, return error FTRLSR473 DSPTCH VALID VALUE = Y	0
						2.If populated and REQTYP does not = AB or BB and TNT field not populated, return error FTRLSR326 DSPTCH PROHIBITED	
017	DDD – Desired Due Date	Identifies the customer's desired due date.	N	8-8	CCYYMMDD CC - 00-99 YY - 00-99 MM - 01-12	1. If populated and SUP not = 1 and DDD is not > or equal to current date (characters 1-8 of D/TSENT), then return error: FTRLSR015 DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE	R
					DD – 01-31	2. If populated and dl not = 8 characters, then return error: FTRLSR016 DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS	
						3. If populated and dc not = numeric, then return error: FTRLSR017 DESIRED DUE DATE DATA MUST BE NUMERIC	
						4. If populated and positions 5-6 (MM) are not 01-12, then return error: FTRLSR018 DESIRED DUE DATE MONTH MUST BE 01 - 12	
						5. If populated and positions 7-8 (DD) are not 01-31, then return error: FTRLSR019 DESIRED DUE DATE DAY MUST BE 01 TO 31	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						 6. If not populated, then return error: FTRLSR020 DESIRED DUE DATE IS REQUIRED Note: DDD cannot exceed 60 calendar days DDD is not guaranteed. CDD will be provided when FOC is returned. 	
018	APPTIME – Appointment Time - DDD	Identifies the time period during which the end user's service will be established and/or a technician is scheduled to visit the end user's premises.	AN - :	17-17	Format 08:00:00-12:00:00; 13:00:00-17:00:00;	1. If populated and dc contains : (colon) and vv not = 08:00:00-12:00:00, 13:00:00-17:00:00, then return error: FTRLSR436 APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00	0
019	DDDO- Desired Due Date Out	Identifies the customer's desired due date for suspension or disconnection of service.	N	8-8	CCYYMMDD CC - 00-99 YY - 00-99 MM - 01-12 DD - 01-31	 I. If populated and SUP is not populated and DDDO is not > or equal to current date (characters 1-8 of D/TSENT), then return error: FTRLSR005 DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE If populated and vv is not in format CCYYMMDD, then return error: FTRLSR022 DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED If populated and dl not = 8 characters, then return error: FTRLSR023 DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS If populated and dc not = numeric, then return error: FTRLSR024 DESIRED DUE DATE OUT DATA MUST BE NUMERIC If populated and positions 5-6 (MM) not = 01-12, then return error: FTRLSR025 DESIRED DUE DATE OUT MONTH MUST BE 01 - 12 If populated and positions 7-8 (DD) not = 01-31, then return error: FTRLSR026 DESIRED DUE DATE OUT DATA CUT DAY MUST BE 01 - 31 If populated and REQTYP = AB, BB, CB or JB, then return error: FTRLSR320 DDDO NOT ALLOWED FOR REQTYP If populated and (PS.LNA or RS. LNA = T) and DDDO > DDD and EU.STATE not = CT, then return error: FTRLSR159 DDDO MUST BE LESS THAN OR EQUAL TO DDD 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						9. If populated and position 1 of REQTYP = D, E and ACT = T and	
						position 4 of TOS = F and DDDO > DDD, then return error: FTRLSR162 DDDO MUST BE LESS THAN OR EQUAL TO DDD	
						10. If populated and (position 1 of REQTYP not = D, E, N, P, Q or ACT	
						not = T) and (ACT not = C or (PS.LNA or RS.LNA not = T)), then return	
						error: FTRLSR168 DDDO IS PROHIBITED	
						11. If populated and position 1 of REQTYP = N, Q or (position 1 of	
						REQTYP = P and EU.STATE not = CT) and ACT = T and $vv > DDD$, then	
						return error: FTRLSR391 DDDO MUST BE LESS THAN OR EQUAL TO	
						DDD	
020	NOR – Number	Identifies this LSR and the	N	4-4	Positions 1,2 – 01-99	1. If populated and positions 3 and 4 are not = to or > than positions 1 and $2 \text{ then rature errors}$	0
	of Requests	total quantity			Positions 3, 4 – 02-99	2, then return error: FTRLSR027 NOR INVALID DATA IN LAST 2 POSITIONS	
		of Local Service					
		Requests				2. If populated and RPON is not populated, then return error: FTRLSR028	
		within a related group				NOR PROHIBITED WHEN RPON IS NOT PRESENT	
		of orders				2. Known and DDON is a sould to define a stars store store STDI 0D000	
		being submitted.				3. If not populated and RPON is populated, then return error: FTRLSR029 NOR IS REQUIRED WHEN RPON IS PRESENT	
		oublinitiou.					
						4. If populated and dl not = 4 characters, then return error: FTRLSR030	
						NOR LENGTH MUST BE 4 CHARACTERS	
						E. Knowyleted and yny positions 1 and 2 pet - 01.00 en yny position 2 and 4	
						5. If populated and vv positions 1 and 2 not = 01-99 or vv position 3 and 4 not = 02-99, then return error: FTRLSR324 NOR VALID VALUE FOR	
						POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99	
021	APPTIME-	Identifies the	AN	17-17	Format	1. If populated and REQTYP = AB, BB, CB or JB, then return error:	0
	Appointment	time period during which	- :		08:00:00-12:00:00	FTRLSR330 APPTIME DDDO NOT ALLOWED FOR REQTYP	
	Time - DDDO	the end user's					
		service will be established			08:00:00-11:00:00	2. If populated and SLI = B, then return error: FTRLSR176 APPTIME DDDO IS PROHIBITED WHEN SLI = B	
		and/or a			13:00:00-17:00:00		
		technician is scheduled to				3. If populated and DDDO is not populated, then return error: FTRLSR249	
		visit the end			15:00:00-19:00:00	APPTIME DDDO IS PROHIBITED	
		user's premises.					
		Promises.				4. If populated and dc contain : (colon) and vv not = 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00,), then return	
						error: FTRLSR437 APPOINTMENT TIME MAY ONLY BE 08:00:00-	
						12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00	
						12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr 022	DFDT – Desired Frame Due Time	Identifies desired frame cutover time.	AN	Length 6-6	Range of Values HHMMAM or PM HH – 01-12 MM – 00-59 AM PM	Rules/Edits 1. If not populated, and NOT (REQTYP = C and ACT = V) and CHC=Y, A or B, then return error: FTRLSR032 DFDT IS REQUIRED WHEN CHC IS Y, A or B 2. If populated and REQTYP = AB and CHC is not populated and LS.CI not = E and NPA NXX is not Frontier 13, then return error: FTRLSR289 DFDT PROHIBITED 3. If not populated and REQTYP = AB and (LS.CI = E) and NPA NXX is not Frontier 13, then return error: FTRLSR349 DFDT IS REQUIRED WHEN CI IS E 4. If populated and REQTYP = BB and CHC is not populated and (LSNP.NPT not = D or SLI = B) and NPA NXX is not Frontier 13, then return error: FTRLSR322 DFDT PROHIBITED 5. If populated and I not = 6 characters, then return error: FTRLSR021 DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS 6. If populated and vi is not in format HHMMAM or HHMMPM, then return error: FTRLSR031 DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM 7. If populated and positions 1-2 (HH) not = 01-12, then return error: FTRLSR036 DESIRED FRAME DUE TIME HOUR MUST BE 01 - 12 8. If populated and positions 3-4 not = 00-59, then return error: FTRLSR043 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA 10. If populated and CHC = Y and (vv < 0700AM or > 0700PM) and EU STAE not = CT, then return error: FTRLSR186 DFDT MUST BE BETWEEN 0700AM AND 0700PM 11. If populated and vv not = 1100PM and REQTYP = AB, BB and CHC = A, then return error: FTRLSR132 DFDT MUST BE 1100PM 12. If p	Ο



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						13. If populated and CHC = Y and (vv < 0800AM or > 0500PM) and EU.STATE = CT, then return error: FTRLSR244 DFDT MUST BE BETWEEN 0800AM AND 0500PM	
	DFDTO					Note: 1)DFDT for Connecticut requests must be between 0800AM and 0500PM 2)Out-of-hours requests must be negotiated with a Frontier Account Manager.	
023						FRONTIER DOES NOT SUPPORT	P
024	PROJECT – Project Identification	Identifies the project to which the request is to be associated.	AN *&` @:,\$ -#()	1-16		1. If populated and dl > 16 characters, then return error: FTRLSR041 PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS	0
			% . + "			2. If populated and special characters not = asterisk ampersand, apostrophe, At Sign, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, then return error: FTRLSR042 INVALID SPECIAL CHARACTER(S) IN PROJECT	
						3.If not populated and NP.PORTEDNBR or TNS field of associated service specific form populated with > 10 characters, and CHC does not = A, return error FTRLSR475 PROJECT REQUIRED	
						4. If not populated and EU.AAI=NEW ADDR, return error FTRLSR260 PROJECT REQUIRED WHEN EU.AAI = NEW ADDR	
~~-		Laters CC and the st				Note: Project ID is alphanumeric created by the CLEC	
025	PROJINDR – Project Indicator	Identifies that the project is either a customer or provider project.	A	1	C – Customer V – Provider	 If not populated and PROJECT is populated, then return error: FTRLSR039 PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT If populated and vv not = C, V, then return error: FTRLSR040 PROJECT INDICATOR MAY ONLY BE C OR V 	0
						3. If populated and PROJECT is not populated, then return error: FTRLSR189 PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT	
026	LSCP					FRONTIER DOES NOT SUPPORT	Р
027	CHC- Coordinated Hot Cut	Identifies that the customer is requesting near seamless cutover activity.	A	1	Y=Yes A=Large Job B=Batch Hot Cut	 If populated and vv not = Y, A, B, then return error: FTRLSR045 DATA MAY ONLY BE Y OR A OR B If populated and vv = A, B and ((REQTYP not = AB, BB) or (position 2 and 3 of TOS not = 1-) or (SLI not = S)) and NPA NXX is not Frontier 13 or EU.STATE not = CT, then return error: FTRLSR223 CHC VALUE OF A OR B INVALID 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						3. If populated and vv = A and REQTYP = AB, BB, ACT=V and DFDT does not = 1100PM, then return error: FTRLSR328 CHC VALUE REQUIRES DFDT OF 1100PM	
						4. If populated and vv = B and REQTYP = AB, BB, ACT=V and DFDT does not = 1145PM, then return error: FTRLSR329 CHC VALUE REQUIRES DFDT OF 1145PM	
						5. If not populated and position 1 of REQTYP = D and PS.RL = Y and NPA NXX is Acquired WV, then return error: FTRLSR252 CHC IS REQUIRED	
						6. If populated and position 1 of REQTYP = D and PS.RL not = Y, then return error: FTRLSR253 CHC IS PROHIBITED	
						7. If not populated and position 1 of REQTYP = F and ACT = V, then return error: FTRLSR392 CHC IS REQUIRED FOR REQTYP/ACT	
						8. If populated and position 1 of REQTYP = F and ACT not = V, then return error: FTRLSR393 CHC IS PROHIBITED FOR REQTYP/ACT	
						9.If not populated and EU.STATE=CT and the DFDT is populated, return error FTRLSR232 CHC REQUIRED	
028	REQTYP – Request Type	Identifies the type of service being	A	2-2	AB=Loop BB=Loop w/LNP CB=LNP	1.If populated and vv does not = AB, BB, CB, DB, EB, JB, FB, KB, LB, NB, PB, QB, return error: FTRLSR046 REQTYP IS PROHIBITED	R
		requested			DB= Wholesale Platform / Wholesale VoIP EB=Resale FB= Unbundled local	2. If not populated, then return error: FTRLSR214 REQTYP IS A REQUIRED FIELD	
					switching (Port) JB= Directory Listing KB= Resale private line LB= Resale frame relay including Resale	3. If populated and $vv = EB$ and (position 2 of TOS = H, K, E) or (position 2 of TOS = J and NPA NXX is not Frontier 13), return error: FTRLSR254 REQTYP EB PROHIBITED FOR TOS	
					Asynchronous transfer mode (ATM) NB= DID/DOD/PBX PB= CENTREX Resale QB= ISDN	4.If populated and vv = FB and NPANXX is Legacy Frontier service territory, return error FTRLSR034 REQTYP INVALID FOR SERVICE TERRITORY	
						5.If populated and vv does not = AB,BB and CHC=A,B, return error FTRLSR035 REQTYP MUST = AB, BB	
						6. If populated and $vv = DB$ and position 2 of TOS = H, J, K, return error FTRLSR228 REQTYP DB PROHIBITED FOR TOS	



FRONTIER BUSINESS RULES Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						7. If REQTYP is DB and the ACT is not D or C w/LNA =D and the 2nd character of the TOS =E, C, T, then error FTRLSR327 ACTIVITY PROHIBITED	
029	P – Product Arrangement	Identifies the arrangement for the product ordered.	A	1-1	A=Resale B=Unbundled port C= Combined loop and unbundled local switching (port) D=Platform	 1.If populated and REQTYP not = NB, QB, then return error: FTRLSR187 PRODUCT ARRANGEMENT NOT VALID FOR REQTYP 2. If not populated and position 1 of REQTYP = N, Q, return error: FTRLSR396 PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP 3. If populated and vv not = A, B, C, D, then return error: FTRLSR288 PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D 4.If populated and vv does not = A and NPA NXX is Legacy, return error FTRLSR290 PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY 	0
030	SLI –Sub Loop Indicator	Identifies the type of sub- loop the customer is requesting.	A	1	A= F(1) Sub-loop (Feeder) B= F(2) Sub-loop (Distribution) C= F(2) Sub-loop with virtual circuit H= House & Riser Cable S= Standard V= F(2) Sub-loop with virtual circuit and voice	 1.If populated and REQTYP not = AB, BB, DB, then return error: FTRLSR047 SUB LOOP INDICATOR IS PROHIBITED 2.If not populated and REQTYP=AB, BB, return error FTRLSR048 SUB LOOP INDICATOR IS REQUIRED 3. If populated and vv not = B, C, H, V, S, then return error: FTRLSR049 SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S 4. If populated and vv not = S and position 1 of REQTYP = D, then return error: FTRLSR255 SLI VALID VALUE = S WHEN REQTYP = D 5. If not populated and position 1 of REQTYP = D and PS.SDP = A and Position 3 LSR.TOS does not = B, P and Position 4 LSR.TOS does not = S, L, then return error: FTRLSR256 SLI IS REQUIRED 6. If populated and position 1 of REQTYP = D and PS.SDP not = A and NPA NXX is Acquired WV, then return error: FTRLSR257 SLI IS PROHIBITED 7.If populated and vv does not = S and CHC=A,B, return error FTRLSR058 SLI MUST BE S 8.If not populated and (REQTYP=DB and ACT does not = J) and NPA NXX is Frontier 13 and position 3 LSR.TOS does not = B, P or position 4 LSR.TOS does not = S, L, V, return error FTRLSR221 SLI IS REQUIRED 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P																				
Nbr			Char	Length	Range of Values	Rules/Edits																					
031	ACT – Activity	Identifies the activity involved in	A	1	N= New installation and/or account	1.If populated and REQTYP = AB and ACT not = N,V,C,D,T,R,M, return error: FTRLSR050 ACT MAY ONLY BE N, V, C, D, T, R, M	R																				
		this service request			C= Change an existing account, e.g., rearrangement, partial disconnect or addition (Physical Change)	2. If populated and REQTYP = CB and NP.NPT = D and ACT does not = V, then return error: FTRLSR051 ACT MAY ONLY BE V																					
					D=Disconnection	3. If populated and REQTYP = BB and ACT not = V, then return error: FTRLSR054 ACTIVITY MUST BE V FOR REQTYP BB																					
					J=Standalone Directory Listings (Valid for REQTYP EB, DB, PB, NB, QB)	4. If not populated, then return error: FTRLSR215 ACT IS A REQUIRED FIELD.																					
					M=Inside move of the physical termination within a building	5. If populated and vv not = C, D, N and SLI = C, V, then return error: FTRLSR335 ACT MUST BE C, D OR N WHEN SLI IS C OR V																					
					T= Outside Move of end user location R= Record activity is for	6. If populated and position 2 of TOS = Z and vv =N, then return error: FTRLSR321 ACT N PROHIBITED WITH SELECTED TOS																					
					ordering administrative changes (Records Only Change, Excludes Listing Only Change on REQTYP EB,DB,NB,PB,QB –See ACT J) V= Conversion or migration	7. If populated and vv = B, S and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED																					
						8. If populated and vv does not = C, D, R, J and position 1 of REQTYP = F and position 2 of TOS = Y, then return error: FTRLSR398 ACT INVALID FOR REQTYP																					
					of service as specified W= Conversion as is (No changes to account)	9. If populated and $vv = S$, T and position 4 of TOS = R, then return error: FTRLSR400 ACT VALID VALUE = S, T IS PROHIBITED FOR TOS																					
					Y= Suspend (non-pay suspend) B= Restore	10.If populated and vv does not = N, C, J, M, T, D, R, V, W, S, B, Y, return error FTRLSR218 ACT VALID VALUES = N, C, J, M, T, D, R, V, W, S, B, Y																					
																									S= Seasonal/Vacation Suspend (Where Available by Tariff)	11.If populated and vv does not = C,D,V and REQTYP=AB, position 2 of TOS=P, and SLI=B, return error FTRLSR332 ACT MUST = C,D,V	
					S= Suspend for Non-Pay (REQTYP DB - OR, NV, SC & Business Accts in CA)	12.If populated and vv does not = N,C,D,R,V and REQTYP=AB position 2 of TOS=R and SLI=B, return error FTRLSR340 ACT MUST = N,C,D,R,V																					
						13.If populated and $vv = W$ and 1st position or REQTYP does not = E, K, L, N, P or (Q unless PPT Value CSI = D, F), return error FTRLSR478 ACT W PROHIBITED																					



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						14.If populated and vv = J and REQTYP does not = EB,DB,PB,NB, QB, return error FTRLSR480 ACT J PROHIBITED FOR REQTYP	
						15.If populated and vv does not = N,D,C,V, and REQTYP = JB, return error FTRLSR481 INVALID ACT FOR REQTYP	
						16.If populated and vv = Y and REQTYP = DB, return error FTRLSR533 ACT PROHIBITED WITH REQTYP	
						17. If populated and vv = B, Y, S and REQTYP = FB, QB, LB, KB, NB, PB, return error FTRLSR524 ACT PROHIBITED WITH REQTYP	
						18. If populated and vv = W and REQTYP = DB, return error FTRLSR468 ACT PROHIBITED FOR REQTYP IN SERVICE TERRITORY	
						19.If populated and vv = S, position 1 of LSR.TOS does not = 2, REQTYP does not = DB, and EU.STATE = CA and NPA NXX is Frontier 13, return error FTRLSR261 SUSPEND ACTIVITY PROHIBITED	
						20.If populated and vv = S, REQTYP does not = DB, and EU.STATE = NV, SC, return error FTRLSR262 SUSPEND ACTIVITY PROHIBITED	
						21. If REQTYP=QB and the 2nd Character of the TOS =H and ((the ACT is not equal to D) or (ACT = C and LNA=D)), return error: FTRLSR265 ACTIVITY PROHIBITED	
						22. 23. If REQTYP=LB and ((the ACT is not equal to D) or (ACT = C and LNA=D)), then error FTRLSR311 ACTIVITY PROHIBITED	
						23. If Populated and the vv = S and the POS 1 of TOS =1 and the Reqtyp = EB, return error FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP	
032	ADET – Activity Detail	Identifies the activity detail that will occur	A	1-1	A= End User Service Address Correction (e911)	1.If populated and vv not = A, then return error: FTRLSR294 ADET VALID VALUE = A	0
		for a specific request.				2.If populated and REQTYP=CB,JB, return error FTRLSR485 ADET PROHIBITED FOR REQTYP	
033	MI					FRONTIER DOES NOT SUPPORT	Р
034	SUP – Supplement Type	A supplement is any new iteration of a local service request. The	N	1	1= Cancel – A Sup 1 should be used to cancel a pending request.	1.If populated and SUP = 4, 5 and REQTYP not = AB, BB and (SLI not = S or is not populated), then return error: FTRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
		entry in the SUP field identifies the reason the supplement is			2= New Desired Due Date – Indicates that a pending order requires only a change of desired due date which was confirmed on a previous	 2. If populated and vv not = 1, 2, 3, 4, 5, 6, 7, then return error: FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7. 3. If populated and vv = 6 and REQTYP = CB_EB_JB_EB_KB_LB_NB 	
		SUP field identifies the			Indicates that a pending order requires only a change	 FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7. 3. If populated and vv = 6 and REQTYP = CB, EB, JB, FB, KB, LB, NB, PB, QB, return error: FTRLSR227 SUP 6 PROHIBITED FOR REQTYP 4. If populated and vv = 6 and position 1 of REQTYP = D and (ACT not = C, N, T, V or PS.LNA not = N, T), then return error: FTRLSR297 SUP VALID VALUE = 6 IS PROHIBITED 5. If populated and vv = 6, 7 and PS.SDP = C, E, F, G, M, then return error: FTRLSR301 SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M 6. If sup is not populated and PON/VER/CCNA already exists in database (this means order already exist) and current status = 'TRANSMITTED', 'TRANSMISSION_SUSPENDED' and message category = '850' or 'LSR REQUEST' then return error FTRLSR452 RESEND NOT SUPPORTED 7. If sup is not populated PON/CCNA already exists in database (this means order already exist) and current VER not = VER of last received order in the database and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSMISSION_FAILED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSMISSION_FAILED', 'TRANSLATION FAILED', 'TRANSLATION FAILED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED', 'TRANSLATION_FAILED',	
						Definition=LSRBCM, LSRPCM ,865-Billing Completion or 865- Provisioning Completion (this means BCN/PCN order already exists) and current status = 'SAVE', 'TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '865' or 'LSR RESPONSE then return error FTRLSR460 SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.	
						9. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:REQTYP not equals LSR:REQTYP of last received order and current status = 'TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED',	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Fld Nbr	Field Name	Definition	Data Char	Field Length		Conditional Business Rules/Edits 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOTIFIED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLSR461 REQTYP CANNOT CHANGE ON SUPPLEMENT ORDERS 10. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:ACT not equals LSR:ACT of last received order and current status = 'TRANSMITTED', 'TRANSMISSION_FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLSR462 ACT CANNOT CHANGE ON SUPPLEMENT ORDERS 11. If SUP is populated and PON/CCNA already exists in database (this means order already exists) and LSR:SUP vw = 1 of last received order and current status = 'TRANSMITTED ', 'TRANSMISSION_FAILED', 'TRANSUSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSMISSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSUSSION_SUSPENDED', 'TRANSLATION FAILED', 'TRANSLATION_FAILED_NOT_NOTIFIED' and message category = '850' or '860' or 'LSR REQUEST' then return error FTRLSR463 SUP IS PROHIBITED ON CANCEL ORDERS 12.If populated and vv =3 and REMARKS is not populated, return error FTRLSR486 SUP 3 REQUIRES REMARKS 13.If populated and vv =5 and REQTYP does not = AB,BB, return error FTRLSR486 SUP 3 REQUIRES REMARKS 14.If populated and vv =5 and REQTYP does not = AB,BB,KB,LB, return error FTRLSR488 SUP = 5 PROHIBITED 15.If populated and vv =6, 7 and REQTYP does not = AB,BB,DB, return error FTRLSR491 SUP INVALID FOR REQTYP 16.If populated and vv does not = 1,2,3 and REQTYP=CB, return error FTRLSR492 SUP VALID VALUE = 1,2,3 WHEN REQTYP=CB 17. If populated and vv 66, 7 and EU.STATE=CT, r	R/O/P
	1	1	1	1			



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						 SUP 1 Cancel – Indicates that the pending order is to be canceled in its entirety.::::::A SUP 1 may be sent at any time prior to completion of the order; Submitting the SUP1 request will retire the original request, no further action will be required. 2. SUP 2 – New desired due date – Indicates that the pending order requires only a change of desired due date. A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field. When submitting a supplement to a request, a full refresh of the original LSR is required. Full refresh indicates that all unchanged information on the original request is included on the supplement along with a due date change. A SUP 2 may be sent only after a Local Response) was sent on the preceding PON and VER, and the order has not been provisioned, then the SUP 2 is a valid request. if the order has been completed, the SUP 2 request will be required to disconnect or change to any previously provisioned service(s). 3. SUP 2 – New Desired Due Date – The new due date is specified in the DDD field on the LSR. If the request is to establish a due date less than the due date already provided, the EXP field can be populated. The EXP field should not be populated orders (after a Local Response has been sent). 4. SUP 3 – Other- Any other change to the request. This may affect the previously agreed up of due date. Partial cancellations should also be entered with a "3" in the SUP field. For example, removing 2 lines from an existing 5 line LSR.'A request for a change in desired in conjunction with other changes to the sole dinformation on the original request is included on the supplement along with changes of the arguest, a full refresh of the original tequest is included on the supplement and provider changes.'When submitting a supplement to a request, a full refresh of the original tequest is included on the supplement and preversion and the required. 5. SUP 3 – Other –	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						 13. SUP 6 – Engineering query requested Indicates the customer is requesting the provider to furnish an estimate of the cost associated with the routine network modifications required to alleviate a no facilities condition. An engineering query may be requested when the customer has received a no facilities jeopardy notification and would like the provider to determine if routine network modifications are available to alleviate the no facilities condition and any associated charges. 14. SUP 7 – Network Modification Charges Accepted – Indicates the customer authorizes the provider to perform the routine network modifications required to alleviate a no facilities condition 	
035	EXP – Expedite	Indicates that expedited treatment is requested and any charges generated in provisioning this request (e.g., additional engineering charges or labor charges if applicable) will be accepted.	A	1	Y=Expedite Charges Authorized	 1.If populated and (ACT = D or position 2 of TOS = F), then return error: FTRLSR060 EXPEDITE IS PROHIBITED 2. If populated and vv does not = Y, return error FTRLSR061 EXP VALID VALUE=Y 3. If populated and CHC = A, B, then return error: FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B 4. If populated and LS.CI = E, then return error: FTRLSR350 EXP PROHIBITED WHEN CI IS E 5. If populated and position 2 of TOS = F, then return error: FTRLSR334 EXP PROHIBITED FOR TOS VALUE 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = A, B, C, D, E, F, G, M then return error: FTRLSR306 EXP IS PROHIBITED 7.If populated and (the SUP field is not populated or the APPTRESID is not populated), return error FTRLSR259 EXP FIELD PROHIBITED Note: Expedite Field is not actionable on initial version of PON unless the Appointment Scheduler has provided a date that needs to be improved. APPTRESID field must be populated with the reservation number. 	0
035a	APPTRESID – Appointment Response Identifier	Identifies the appointment response number assigned by the provider to relate associated transactions	AN	10		 1.If populated and REQTYP not = AB, BB, DB, EB, then return error: FTRLSR344 APPTRESID NOT VALID FOR REQTYP 2. If populated and (dl > 10 or dc not = alpha, numeric), then return error: FTRLSR345 APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS 3. If populated and position 1 of REQTYP = D, E and ACT = R, then return error: FTRLSR323 APPTRESID IS PROHIBITED 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr		Dominion	Char	Length	Range of Values	Rules/Edits	
						Note: Once a firm LSR is submitted, the Appointment Time may not be	
						updated with new APPTRESID number on supplemental activity.	
036	ER					FRONTIER DOES NOT SUPPORT	Р
037	AFO					FRONTIER DOES NOT SUPPORT	Р
038	RVER					FRONTIER DOES NOT SUPPORT	Р
039	MEU					FRONTIER DOES NOT SUPPORT	Р
040	RTR					FRONTIER DOES NOT SUPPORT	Р
041	CC – Company Code	Identifies the exchange carrier generating the	AN	4-4		1.If populated and CCNA not = CUS, then return error: FTRLSR063 COMPANY CODE IS PROHIBITED	0
		inquiry.				2. If populated and dl not = 4, then return error: FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS	
1						3. If populated and special characters present, then return error: FTRLSR240 SPECIAL CHARACTERS NOT ALLOWED IN CC	
						4. If not populated and CCNA = CUS, then return error: FTRLSR333 COMPANY CODE IS REQUIRED	
042	RCC					FRONTIER DOES NOT SUPPORT	Р
043	PID - Personal Identifier	Identifies the end user's personal identification number	AN	1-5		1.If populated and (dl > 5 or dc not = alpha, numeric), return error FTRLSR285 PID MUST NOT EXCEED 5 ALPHA NUMERIC CHARACTERS	0
						2. If populated and LSR.NPDI field does not = C, then return error FTRLSR331 PID FIELD PROHIBITED WHEN NPDI DOES NOT EQUAL C	
						NOTEs: 1)This field may be used when the end user's account has been password protected. 2)This field may be validated for simple port service requests as mandated in FCC Order 07- 188.	
044	NNSP – New Network Service Provider	Identifies the Number Portability Administration Center	AN	4-4		1.If not populated and REQTYP = CB,BB and ACT=V, return error FTRLSR266 NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED	0
1	Identification	(NPAC) Service Provider Identifier				2. If populated and dI not = 4 characters, then return error: FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS	
		(SPID) of the new Network Service Provider (NSP).				3. If populated and vv not = alpha, numeric, then return error: FTRLSR241 NNSP IS ALPHA/NUMERIC	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						4. If populated and REQTYP = BB and LSNP.NPT not = D, P (any occurrence), then return error: FTRLSR291NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED	
						5. If populated and REQTYP = JB, then return error: FTRLSR313 NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQTYP	
045	ONSP – Old Network Service Provider	Identifies the NPAC SPID of the current Network Service Provider.	AN	1-4		 1.If populated and position 1 of REQTYP not = D, E, F, N, P, then return error: FTRLSR056 ONSP ISPROHIBITED FOR REQTYP 2. If not populated and position 1 of REQTYP = D, E, F, and (PS.NPI or RS.NPI = C, E), then return error: FTRLSR325 ONSP IS REQUIRED 3. If populated and position 1 of REQTYP = D, E, F, and (PS.NPI and 	0
						RS.NPI not = C, E), then return error: FTRLSR341 ONSP IS PROHIBITED	
						4. If not populated and position 1 of REQTYP = N and DDPS.NPI = C, D, E, then return error: FTRLSR401 ONSP IS REQUIRED FOR NPI	
						5. If populated and position 1 of REQTYP = N and DDPS.NPI not = C, D, E, then return error: FTRLSR402 ONSP IS PROHIBITED FOR NPI	
						6. If not populated and position 1 of REQTYP = P and CRS.NPI = C, D, E, then return error: FTRLSR403 ONSP IS REQUIRED FOR NPI	
						7. If populated and position 1 of REQTYP = P and CRS.NPI not = C, D, E, then return error: FTRLSR404 ONSP IS PROHIBITED FOR NPI	
046	OCCNA					FRONTIER DOES NOT SUPPORT	Р
047	000					FRONTIER DOES NOT SUPPORT	Р
048	AENG – Additional Engineering	Indicates that if additional engineering is required, an estimate of the charges is to be forwarded to the initiator of	A	1	Y	 1.If not populated and SUP = 6, then return error: FTRLSR250 AENG REQUIRED WHEN SUP=6 2. If populated and SUP not = 6, then return error: FTRLSR237 AENG IS PROHIBITED WHEN SUP NOT = 6 3. If populated and vv not = Y, then return error: FTRLSR238 AENG CAN 	0
0.46		the request.					<u> </u>
049	ALBR	La d'a a t		<u> </u>		FRONTIER DOES NOT SUPPORT	Р
050	SCA – special Construction Authorization	Indicates pre- authorization for special construction.	A	1	Y=Special construction is authorized	1.If populated and vv not = Y, then return error: FTRLSR224 SCA CAN ONLY BE Y	0
						2. If not populated and SUP = 7, then return error: FTRLSR225 SCA REQUIRED WITH SUP 7	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						 3. If populated and SUP not = 7, then return error: FTRLSR226 SCA ONLY VALID WITH SUP 7 4. If populated and REQTYP=CB and ACT=V, return error FTRLSR493 SCA PROHIBITED 	
051	AGAUTH – Agency Authorization Status	Indicates that the customer is acting as an end user's agent and has authorization on file.	A	1	Y=Authorization on file Z=Dual authorization on file (voice & data)	 1.If not populated, return error: FTRLSR069 AGENCY AUTHORIZATION STATUS IS REQUIRED 2. If populated and vv does not = Y, Z, return error FTRLSR353 AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z 3. If populated and vv = Z and REQTYP not = BB, then return error: FTRLSR354 INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTYP 	R
052	PORTTYP					FRONTIER DOES NOT SUPPORT	Р
053	ACTL – Access Customer Terminal Location	Identifies the CLLI code of the customer facility terminal location or designated collocation area. The CLLI code will have been previously assigned.	AN - space	11-11		 1.If not populated and REQTYP = AB and ACT = N, V and position 2 of TOS = 1, 2, 3, 4, F, P, R, W, X and SLI not = H, then return error: FTRLSR071 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED 2. If not populated and REQTYP = BB and ACT = V and position 2 of TOS = 1, 2, 3, 4, F, W, X, then return error: FTRLSR268 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED 3. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: FTRLSR269 ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED 4. If populated and REQTYP = CB, EB, JB, return error FTRLSR072 ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED 5. If populated and dI not = 11 characters, then return error: FTRLSR073 ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS 6. If populated and special characters not = space or hyphen, then return error: FTRLSR181 ACTL HAS INVALID CHARACTERS 7. If not populated LS.CI = E, then return error: FTRLSR348 ACTL REQUIRED WHEN CI IS E 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						 8. If populated and position 1 of REQTYP = D and PS.SDP not = A, then return error: FTRLSR356 ACTL IS PROHIBITED 9. If not populated and position 1 of REQTYP = F and ((ACT = N, V) or (ACT = C and PS.LNA = N)), then return error: FTRLSR405 ACTL IS REQUIRED FOR REQTYP/ACT 10. If not populated and REQTYP = AB and ACT=D or ACT=C with LNA=D, return error FTRLSR465 ACTL REQUIRED 11. If not populated and REQTYP=AB,BB, return error FTRLSR355 ACTL 	
054	SACTL – Secondary Access Customer Terminal Location	Identifies the CLLI code of the secondary customer facility terminal location or designated collocation area. The CLLI code will have been previously assigned.	AN - SPAC E	11-11		REQUIRED1.If not populated and ACT = N and position 2 of TOS = F, then return error: FTRLSR074 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED2. If populated and ACT not = N and position 2 of TOS not = F, then return error: FTRLSR075 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITED3. If populated and dl not = 11 characters, then return error: FTRLSR076 SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS4. If populated and special character not = hyphen, space, then return error: FTRLSR242 SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN OR SPACE5.If not populated and REQTYP=AB,BB, ACT does not =D and position 2 of TOS=F, return error FTRLSR494 SACTL REQUIRED6.If populated and positions 1-8 of vv does not = positions 1-8 of ACTL and REQTYP=AB, position 2 of TOS=F and SLI=S, return error FTRLSR495 POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL	0
055	AI	+				FRONTIER DOES NOT SUPPORT	Р
056	APOT	<u> </u>			<u> </u>	FRONTIER DOES NOT SUPPORT	P.
057	LST – Local service termination	Identifies the CLLI code of the end office switch from which service is being requested.	AN - SPAC E	1-11		1.If populated and dl > 11 characters, then return error: FTRLSR078 LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERS	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P	
Nbr			Char	Length	Range of Values	Rules/Edits		
						2. If populated and vv special characters not = hyphen, space, then return error: FTRLSR243 LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE		
						3. If not populated and position 1 of REQTYP = F and ACT = N, C and position 2 of TOS = Y, then return error: FTRLSR407 LST IS REQUIRED FOR REQTYP/ACT		
						4.If not populated and REQTYP=FB and ACT does not = D, return error FTRLSR496 LST REQUIRED		
						5.If populated and REQTYP=CB, return error FTRLSR497 LST PROHIBITED		
058	LSO – Local Service Office	Identifies the NPA/NXX of the local or	N	6-6		1.If populated and dl does not = 6 characters, then return error: FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS	0	
			alternate serving centra office of the customer				2. If populated and dc contains special characters, then return error: FTRLSR251 LSO CANNOT CONTAIN SPECIAL CHARACTERS	
		location or primary location of the end user.				3. If not populated and position 1 of REQTYP = E and position 4 of TOS = F, then return error: FTRLSR358 LSO IS REQUIRED		
						4.If not populated and REQTYP=AB, LB, return error FTRLSR498 LSO REQUIRED		
						5.If not populated and REQTYP=NB, ACT does not =D,W DDPS.TNS is blank or N, return error FTRLSR501 LSO REQUIRED		
						6.If populated and dc is not numeric, return error FTRLSR502 LSO MUST BE NUMERIC		
						7.If not populated and REQTYP=QB, ACT does not =D,W IS.TNS and IS.ECCKT is blank or N, return error FTRLSR503 LSO REQUIRED		
						8.If populated and REQTYP=CB and ACT=V, return error FTRLSR507 LSO PROHIBITED		
						9.If populated and REQTYP=JB, return error FTRLSR359 LSO PROHIBITED WHEN REQTYP=JB		
059	TOS – Type of Service	Identifies the type of service for the line ordered.	AN	2-4	1 st Character: 1=Business 2=Residence 3=Government 4=Coin (CT Only)	1.If populated and REQTYP = JB and character positions 2, 3, 4 not = - (hyphen), then return error: FTRLSR080 TYPE OF SERVICE IS INVALID	0	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field Longth	Valid Values	Conditional Business	R/O/P
Fid Nbr	Field Name	Definition	Data Char	Field Length	Range of Values 2nd Character: A=Multiline (Hunting) B=Single Line/Multi-line (no hunt) C=Coin D=Advance Services E=CENTREX (Resale & UNE) F=Data/Voice Shared Loop H=ISDN (BRI) J=PBX (Trunk) K=ISDN (PRI) P=Line Split Q=DID/DOD R=Line Share T=Coin Smart (WV Only) W= 2 Wire Digital Design Metallic Loop Standard X= 2 Wire Digital Design Metallic Loop Standard X= 2 Wire Digital Design Metallic Loop With ISDN Electronics Y= TR008 Port Arrangement Z=UNE NID -Hyphen=REQTYP JB Only 1= 2 wire analog loop 2= 4 wire digital loop 3= 4 wire analog loop 2= 2 wire digital loop 5= House & Riser cable service (WV & F13 Only) 6= NID to NID 7= 2wire analog M-loop (F13 Only) 3rd Character: B=Wholesale Broadband F= Flat Rate M= Measured Rate	 Rules/Edits 2. If populated position 1 does not = 1, 2, 3, and EU.STATE is not CT, then return error: FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 3. If populated and position 2 of vv = C, T and position 1 of vv not = 1, then return error: FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1 4. If populated and position 2 of vv = T and NPA NXX is not Acquired WV, return error FTRLSR083 TOS POSITION 2 INVALID 5. If populated and position 2 of vv does not = A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7, return error FTRLSR084 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2, 3, 4, 5, 6, 7 6. If populated and position 3 of vv does not = M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, 8, P, then return error: FTRLSR085 THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, 8, P 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W,B,O, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B,O - (hyphen), 1, 2, S, L, 8. If not populated, and NOT (REQTYP = C and ACT = V) then return error: FTRLSR202 TOS IS REQUIRED 9. If populated and position 1 of vv = 3 and REQTYP = DB, return error: FTRLSR360 TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTYP = DB 11. If populated and position 2 vv = 7 and NPA NXX is not Frontier 13, 	
					3= ADSL – C Qualified (WV Only) 4= HDSL – Qualified (WV Only) 5= CSS (Customer Specified Signaling) (WV Only) 6= DSL – Class (WV Only)	return error FTRLSR508 TOS POSITION 2 INVALID 12. If populated and position $3 vv = G,1,2,3,4,5,6$ and NPA NXX is Frontier 13, return error FTRLSR509 TOS POSITION 3 INVALID	



Version: 9.30.28

Nor Char Length Range of Values Rules/Edits 13. If populated and position 3 of vv not = F, M and position 1 of REOTYP = O and position 2 of vv = H and P = A, then return error: FTRLSR408 TG=Sempolic (W, CT & Legracy Only)	Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Image: Construct Section 2 of view of the construction	Nbr			Char	Length	Range of Values	Rules/Edits	
23.If populated position 1 vv does not =1 and AC=C, return error FTRLSR519 TOS POSITION 1 VALUE MUST = 1 WHEN AC=C 24.If populated position 1 vv does not =2 and AC=B, return error FTRLSR520 TOS POSITION 1 VALUE MUST = 2 WHEN AC=B	Nbr			Char	Length	4 th Character: B= Pots in a Box F=Foreign Exchange (FXS) G=Semi-public (WV, CT & Legacy Only) L=Broadband Lineshare N=Normal O=SIP over the top Voice P=Prison/Inmate R=RCF S=Standalone Broadband V=VoIP W=WATS/800 Service -Hyphen=Not Applicable 1=Non-designed (CT, F13 Only)	 13. If populated and position 3 of vv not = F, M and position 1 of REQTYP = Q and position 2 of vv = H and P = A, then return error: FTRLSR408 TOS VALID VALUE FOR POSITION 3 = F, M 14. If populated and position 2 of vv = H and P = D, return error: FTRLSR409 TOS VALID VALUE FOR POSITION 3 = HYPHEN 15. If populated and position 4 vv = G and NPA NXX is not Acquired WV or EU.STATE not =CT, return error FTRLSR510 TOS POSITION 4 INVALID 16.If populated position 2 vv = hyphen and REQTYP does not = JB, return error FTRLSR512 TOS POSITION 2 = HYPHEN PROHIBITED IF REQTYP DOES NOT = JB 17.If populated position 3 vv does not = M and REQTYP = FB, return error FTRLSR513 TOS POSITION 3 MUST = M WHEN REQTYP=FB 18.If populated position 2 vv = R and DL form is populated, return error FTRLSR514 DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R 19.If populated position 2 vv does not = A,D,E,J,P,Q and HGI.HA is populated, return error FTRLSR515 TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED 20.If populated position 2 vv = P and position 3 vv does not = M and NPA NXX is Frontier 13, return error FTRLSR516 TOS INVALID 21.If populated position 2 vv does not = J,Q and REQTYP=AB, return error FTRLSR518 TOS POSITION 2 = R 22.If populated position 2 vv does not = J,Q and REQTYP=NB, return error FTRLSR518 TOS POSITION 2 HUEN REQTYP=NB 23.If populated position 1 vv does not = 1 and AC=C, return error FTRLSR519 TOS POSITION 1 VALUE MUST = 1 WHEN AC=C 24.If populated position 1 vv does not = 2 and AC=B, return error 	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						25.If populated position 2 does not =C and REQTYP=EB,NB,PB, QB, ACT=N and DL Form is not populated, return error FTRLSR523 DL FORM REQUIRED	
						26.If populated position 2 vv = J and NPA NXX is Frontier 13 and REQTYP does not = EB, return error FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY	
						27.If not populated and REQTYP = CB and ACT = V and ELT = E, P, then return error FTRLSR141 TOS REQUIRED	
						28. If populated position 1 does not = 1, 2, 3, 4 and EU.STATE=CT, then return error FTRLSR077 FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4	
						29.If populated and position 3 vv = 1,2,3,4,5,6 and EU.STATE=CT, return error FTRLSR095 TOS POSITION 3 INVALID	
						30.If populated and position $2 = 5$, 7 and EU.STATE=CT, return error FTRLSR230 POSITION 2 TOS INVALID FOR STATE	
						31.If populated and REQTYP = DB and EU.STATE=CT and position 2 of LSR.TOS not = A, B, 6 return error FTRLSR231 TOS POSITION 2 INVALID FOR REQTYP	
						32. If populated and 4th position does not = 1, 2 and REQTYP = AB, BB and (EU.STATE=CT or NPA NXX is Frontier 13), return error FTRLSR248 TOS POSITION 4 MUST EQUAL 1 OR 2	
						33.If populated and position 3 = B and position 1 does not = 1, 2, return error FTRLSR267 FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND	
						34.If populated and (position 3 = B or position 4 = L) and (REQTYP does not = DB) and (REQTYP does not = EB and ACT=C, B, S and LNA=C, B, S)), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYP	
						35.If populated and position 3 = B and position 2 does not = A, B, 7, return error FTRLSR271 SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND	



Version: 9.30.28

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
				Longth		36.If populated and position 3 = B and position 4 does not = S, L, return error FTRLSR272 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND	
						37.If populated and position 4 = S and position 3 does not = B, return error FTRLSR273 THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND	
						38.If populated and position 3 = P and REQTYP does not = DB, return error FTRLSR293 TOS POSITION 3 INVALID FOR REQTYP	
						39.If populated and position 3 = P and NPA NXX is not Legacy, return error FTRLSR300 TOS INVALID FOR SERVICE TERRITORY	
						40.If populated and position 3 of $vv = P$ and (position 1 does not = 1, 2 and position 2 does not = A, B and position 4 does not = R, L, Hyphen) and NPA NXX is Legacy, return error FTRLSR314 TOS COMBINATION INVALID	
						41.If populated and REQTYP=DB, ACT=N, T and (Position 3 of TOS does not = B or Position 4 of TOS does not = S) and DL form is not populated, return error FTRLSR299 DL FORM REQUIRED	
						42.If populated and (position $2 = '3'$ or '4' or 'K', and REQTYP = 'AB' or 'BB' and NPA NXX is Frontier 13) and position 4 not = 2, return error FTRLSR469 TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP	
						43.If populated and (position $1 = 4$ or position $2 = C$) and position 4 does not = N, Hyphen (-) and REQTYP = EB, return error FTRLSR362 TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE	
						44. If populated and position 4 of $vv = V$ and REQTYP does not = DB, return error: FTRLSR275 TOS POS 4 = V NOT VALID FOR REQTYP	
						45. If Populated and the position 4 of $vv = V$ and the position 2 of vv is not = to A or B, and position 3 of vv is not equal to F, return error FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP	
						46. If populated and position 4 of $vv = B,O$ and REQTYP does not = EB, return error: FTRLSR038 REQ TYPE MUST EQUAL EB IF TOS POS 4 = B,O	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						Note: 1)Associated use of '1' with Service Code and Modifier (SCMD): F13 SCMD: TXNU, ARSU, ARFU, TXXU, TXFU, IBSU, UBSU, TXXS, TXFS CT SCMD: TXNU, LXFP, UBNU and AGXU with No mileage 2)Associated use of '2' with Service Code and Modifier (SCMD): F13 SCMD: TYNU, DHSU, TYSU, TYFU, IPSU, IPFU, DWSU, DWFU, AQSU, AQFU, HISU, FZDU, QIDU, ASDU CT SCMD: TYNU, UBNU and AGXU with mileage, LYXP, All Sub loops	
060	AC- Account Structure Change	Identifies a rearrangemen t of account telephone numbers or a change to the type of service classification while migrating service.	A	1	A= Auxiliary Line to Main Line B= Business Service to Residence Service C= Residence Service to Business Service D= Coin/PAL Service to Business Service E= Business Service to Coin/PAL Service	 1.If populated and REQTYP not = EB, DB, then return error: FTRLSR087 ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP 2. If populated and REQTYP = DB, EB and ACT not = C, V, then return error: FTRLSR364 AC IS PROHIBITED 3. If populated and REQTYP = DB, EB and ACT = C and (PS.LNA or RS.LNA = T), then return error: FTRLSR365 AC IS PROHIBITED WHEN LNA = T 4. If populated and vv not = A and position 1 of REQTYP = D and ACT = C and position 2 of PS.LTOS = L, then return error: FTRLSR366 AC VALID VALUE = A 	0
061	SPEC- Service and Product Enhancement Code	Identifies a specific product or service offering.	AN	5-7		 1.If populated and (dl < 5 or > 7), then return error: FTRLSR088 SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5 TO 7 CHARACTERS 2. If populated and position 1 of REQTYP = E, K, L, N, P, then return error: FTRLSR367 SPEC IS PROHIBITED FOR REQTYP 3. If not populated and position 1 of REQTYP = Q and ACT = N, T, V and P = D and position 2 of TOS = H, then return error: FTRLSR411 SPEC IS REQUIRED FOR REQTYP/ACT 4. If populated and vv not = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S and position 1 of REQTYP = Q and ACT = N, T, V and P = D and position 2 of TOS = H, then return error: FTRLSR412 SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC S 5.If populated and vv not = UALRLX, UALRRX, UALRTX, UALRLT, UALRTR, UALNLC, UALNQX and LSR.REQTYP = AB, BB, LSR.ACT not = D, R and EU.STATE=CT, return error FTRLSR234 MUST POPULATE VALID SPEC 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P	
Fld Nbr 062	Field Name NC- Network Channel Code	Definition Identifies the network channel code for the circuit(s) involved. The network channel code describes the channel being requested.	Data Char AN -	Field Length 4-4	Valid Values Range of Values	 Conditional Business Rules/Edits 1. If not populated and REQTYP = AB and LS.LNA = N (any occurrence), then return error: FTRLSR274 NETWORK CHANNEL CODE IS REQUIRED 2. If not populated and REQTYP = AB, BB and position 2 of TOS = F, then return error: FTRLSR276 NETWORK CHANNEL CODE IS REQUIRED 3. If not populated and ACT = N, C and position 2 of TOS = Y, then return error: FTRLSR277 NETWORK CHANNEL CODE IS REQUIRED 4. If populated and dI not = 4, then return error: FTRLSR090 NETWORK CHANNEL CODE MUST BE 4 CHARACTERS 5. If populated and special characters not = Hyphen, then return error: FTRLSR044INVALID SPECIAL CHARACTERS 6. If not populated and REQTYP = AB and LS.CI = E, then return error: FTRLSR352 NETWORK CHANNEL CODE IS REQUIRED 7. If populated and position 1 of REQTYP = E, K, L, P and NPA NXX is not Frontier 13 or EU.STATE does not = CT, then return error: FTRLSR368 NC IS PROHIBITED FOR REQTYP 8. If not populated and position 1 of REQTYP = D and position 2 of 	R/O/Р О	
						9. If not populated and position 1 of REQTYP = F and position 2 of PS.LTOS = J, then return error: FTRLSR413 NC IS REQUIRED FOR LTOS		
						10.If not populated and REQTYP = NB and position 2 of LSR.TOS = J, and LSR.P=D, and NPA NXX is not Frontier 13, then return error: FTRLSR414 NC IS REQUIRED		
						11.If not populated and REQTYP = QB and POS 2 of LSR.TOS = H, and LSR .P =D, then return error: FTRLSR415 NC IS REQUIRED		
						12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B		



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Rules/Edits and position 4 of TOS does not = S, V), return error FTRLSR534 NC IS REQUIRED 13. If not populated and REQTYP = AB,BB and NPA NXX is Frontier 13 or EU.STATE=CT, return error FTRLSR220 NC REQUIRED 14.If populated and 1st character of vv = H and REQTYP = AB, BB, and EU.STATE = CT, return error FTRLSR239 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR 15.If not populated and REQTYP = DB and ACT = C, and position 3 of PS.LTOS = B and Position 4 of PS.LTOS = L and NPA NXX is Frontier 13 or EU.STATE = CT, return error FTRLSR263 NC IS REQUIRED 16.If not populated and reqtyp = QB and POS 2 of LSR.TOS = K, return error FTRLSR264 NC IS REQUIRED 17. If populated and vv = LX and NC/NCI Combination is Analog Loop,	R/O/P
						 17. If populated and vv = LX and NC/NCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and NPA NXX is Frontier 13, return error code FTRLSR438 ANALOG LOOP PRODUCT NOT AVAILABLE 18. If populated and vv = LX and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and NPA NXX is Acquired WV or Legacy, return error code FTRLSR439 ANALOG LOOP PRODUCT NOT AVAILABLE 19. If populated and vv = LX or TX and NC/NCI/SECNCI Combination is Analog Loop, and (REQTYP = AB/BB and LS.LNA = N, V or LSNP.LNA = V) and EU.STATE = CT, return error code FTRLSR440 ANALOG LOOP PRODUCT NOT AVAILABLE 	
						20. If populated and vv = LX-N, HF-6, HF-D and the NCI vv = 04QB6.33 and the ACT is not D, return error FTRLSR336 PRODUCT NOT AVAILABLE	
063	PBT					FRONTIER DOES NOT SUPPORT	Р
064	NCI – Network Channel Interface Code	Identifies the interface characteristics of the circuit at the	AN -	5-12		1.If not populated and NC is populated and position 1 of REQTYP not = N, then return error: FTRLSR091 NETWORK CHANNEL INTERFACE CODE IS REQUIRED	0



Version: 9.30.28

s/Edits opulated and position 1 of REQTYP = N, then return error:	
opulated and position 1 of REQTYP = N, then return error:	
SR092 NETWORK CHANNEL INTERFACE CODE IS PROHIBITED	
opulated and (dl < 5 or > 12), then return error: FTRLSR093 VORK CHANNEL INTERFACE CODE MAY ONLY BE 5 TO 12 RACTERS	
opulated and special characters not = Hyphen , then return error: .SR094 INVALID SPECIAL CHARACTERS IN NCI	
opulated and vv = 01QBF.LLX and EU.STATE = CT, return error .SR235 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED .SR	
opulated and vv = 04DS6.44 and EU.STATE = CT, return error .SR236 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED .SR	
NTIER DOES NOT SUPPORT	Р
opulated and (dl < 5 or > 12), then return error: FTRLSR096 NCI MAY ONLY BE 5 to 12 CHARACTERS	0
opulated and special characters not = Hyphen, period, then return FTRLSR097 INVALID SPECIAL CHARACTERS IN SECNCI	
opulated and NC is not populated and position 2 of TOS not = Y, return error: FTRLSR292 SECNCI IS PROHIBITED	
opulated and NOR is not populated, then return error: FTRLSR098 TED PON PROHIBITED WHEN NOR IS NOT PRESENT	0
ot populated and NOR is populated, then return error: FTRLSR099 TED PON REQUIRED WHEN NOR IS PRESENT	
opulated and (dl < 4 or > 16), then return error: FTRLSR100 ATED PON MUST BE 4 TO 16 CHARACTERS	
populated and special characters not = Hyphen, then return error: SR101 INVALID SPECIAL CHARACTERS IN RPON	
opulated and PS.SDP = C, D, E, F, then return error: FTRLSR370 N IS PROHIBITED	
	SR235 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED SR pulated and vv = 04DS6.44 and EU.STATE = CT, return error SR236 PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED SR TIER DOES NOT SUPPORT pulated and (dl < 5 or > 12), then return error: FTRLSR096 CI MAY ONLY BE 5 to 12 CHARACTERS opulated and special characters not = Hyphen, period, then return FTRLSR097 INVALID SPECIAL CHARACTERS IN SECNCI opulated and NC is not populated and position 2 of TOS not = Y, eturn error: FTRLSR292 SECNCI IS PROHIBITED pulated and NOR is not populated, then return error: FTRLSR098 TED PON PROHIBITED WHEN NOR IS NOT PRESENT ot populated and NOR is populated, then return error: FTRLSR099 TED PON REQUIRED WHEN NOR IS PRESENT opulated and (dl < 4 or > 16), then return error: FTRLSR100 TED PON MUST BE 4 TO 16 CHARACTERS opulated and special characters not = Hyphen, then return error: SR101 INVALID SPECIAL CHARACTERS IN RPON opulated and PS.SDP = C, D, E, F, then return error: FTRLSR370



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						Note: RPON field requires a unique value to be populated that also appears identically on each PON in the RPON group	
067a	RPVER – Related PON Version	Identifies the version of a RPON group for tracking and distribution of	N	2-2	00-99	1.If populated and RPON is not populated, then return error: FTRLSR102 RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT	0
	all related orders when a CLEC submits				2. If not populated and RPON is populated, then return error: FTRLSR103 RPVER IS REQUIRED WHEN RPON IS PRESENT		
		a Supplemental change.				3. If populated and vv not = 00-99, then return error: FTRLSR104 RELATED PON VERSION MUST BE IN THE RANGE OF 00 to 99	
						Note: 1.The value of the RPVER field must be the same on all PONs within the same RPON group across LSR's.	
						 2.Subsequent versions must be equal or sequential. Example: sending entire group, must increment RPVER by one. 3. Supplements: a. SUP 1 or SUP 2 – Must be processed for each PON in the related PON group within a 24- 	
						 b. SUP 3 – If no change to the DDD, a SUP 3 may be processed for only the changing PON(s) in the related PON group and must carry the same RPVER as the previous version 	
068	RORD – Related Order Number	Identifies a related provider order number.	AN	1-20		1.If populated and dI > 20, then return error: FTRLSR105 RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS	0
						2. If populated and dc contains special characters, then return error: FTRLSR246 RORD CAN ONLY BE ALPHA/NUMERIC	
069	LSP AUTH – Local Service Provider Authorization	Identifies the carrier code of the Local Service	AN	4-4		1.If not populated and REQTYP = AB and position 2 of TOS = F and ACT = D, N, V, then return error: FTRLSR106 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED	0
	Autionzation	Authorization Provider that is providing existing service and has authorized the change to a new service provider.				2. If not populated and REQTYP = AB and position 2 of TOS = P and CCNA does not = ACNA, then return error: FTRLSR279 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED	
					3. If populated and dI > 4, then return error: FTRLSR107 LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS		
						4. If not populated and REQTYP = BB and position 2 of TOS = F and ACT = V, then return error: FTRLSR229 LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						5. If populated and dc contains special characters, then return error: FTRLSR247 LSP AUTH IS ALPHA NUMERIC	
						6. If not populated and position 1 of REQTYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P and CCNA not = ACNA, then return error: FTRLSR371 LSP AUTH IS REQUIRED	
070	LSP AUTH DATE – Local Service Provider	Identifies the date that appears on the LSP authorization	N	8/8	CC = 00-99 YY= 00-99 MM = 01-12 DD = 01-31	1.If populated and positions 5-6 (MM) not = 01-12, then return error: FTRLSR110 LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01 TO 12	0
	Authorization	previously provided to the new service			01-31	2. If populated and positions 7 8 (DD) not =01-31, then return error: FTRLSR111 DAY MUST BE 01 TO 31	
		provider.				3. If populated and dl not = 8, then return error: FTRLSR204 LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT ALLOWED	
						4. If populated and dc not = numeric, then return error: FTRLSR205 LSP AUTHORIZATION DATE MAY ONLY NUMERIC – ALPHA CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED	
071	LSP AUTH NAME – Local Service Provider	Identifies the name of the person who signed the authorization	AN ', space	1-15		1.If populated and dl > 15, then return error: FTRLSR113 LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1 TO 15 CHARACTERS	0
	Authorization Name	letter.				2. If populated and special characters not = Apostrophe, Comma, Hyphen, period, Space, then return error: FTRLSR190 LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS	
						3.If not populated and ACT does not = D and LSP AUTH is populated, return error FTRLSR525 LSP AUTH NAME REQUIRED	
						4.If populated and ACT=D or LSP AUTH is not populated, return error FTRLSR526 LSP AUTH NAME PROHIBITED	
071a	LSPAN – Local Service Provider Authorization	Identifies the LSP authorization number	AN -	1-16		1.If populated and vv exceeds 16 characters, return error FTRLSR114 LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS	0
	Number					2.If populated and vv contains special character other than hyphen(-), return error FTRLSR201 ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN	
072	CIC					FRONTIER DOES NOT SUPPORT	Р



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr		Deminion	Char	Length	Range of Values	Rules/Edits	10,011
073	CUST – Customer Name	Identifies the name of the customer who originated this request when that customer has not been assigned a Customer Carrier Name Abbreviation (CCNA) code.	AN	1-25		 1.If not populated and CCNA=CUS, return error FTRLSR527 CUST REQUIRED 2.If populated and CCNA does not =CUS, return error FTRLSR528 CUST PROHIBITED 	Ο
074	NPDI – Number Portability Direction	Identifies the direction of LNP conversion activity on this request.	A	1	B= Wireless to Wireline C= Wireline to Wireless D= Wireline to Wireline	 1.If populated and REQTYP = CB and vv not = C, D, then return error: FTRLSR115 NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQTYP 2. If populated and REQTYP = BB and vv not = D, then return error: FTRLSR116 NUMBER PORTABILITY DIRECTION MAY ONLY BE D FOR THIS REQTYPE 3. If not populated and REQTYP = BB, CB, then return error: FTRLSR117 NUMBER PORTABILITY DIRECTION REQUIRED 4. If populated and REQTYP not = BB, CB, DB, EB, FB, NB, PB, QB, then return error: FTRLSR315 NUMBER PORTABILITY DIRECTION PROHIBITED 5. If not populated and position 1 of REQTYP = D, E and (PS.NPI or RS.NPI = C, E), then return error: FTRLSR372 NPDI IS REQUIRED 6. If populated and vv not = B, D and position 1 of REQTYP = D, E and (PS.NPI or RS.NPI = C, E), then return error: FTRLSR373 NPDI VALID VALUE = B, D 7. If not populated and position 1 of REQTYP = F and PS.NPI = C, E, then return error: FTRLSR416 NPDI IS REQUIRED FOR NPI 8. If populated and vv not = B, D and position 1 of REQTYP = F and PS.NPI = C, E, then return error: FTRLSR417 NPDI VALID VALUE = B, D 9. If not populated and position 1 of REQTYP = N and DDPS.NPI = C, E, then return error: FTRLSR418 NPDI IS REQUIRED FOR NPI 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						10. If populated and vv not = B, D and position 1 of REQTYP = N and DDPS.NPI = C, E, then return error: FTRLSR419 NPDI VALID VALUE = B, D	
						11. If not populated and position 1 of REQTYP = P and CRS.NPI = C, E, then return error: FTRLSR420 NPDI IS REQUIRED FOR NPI	
						12. If populated and vv not = B, D and position 1 of REQTYP = P and CRS.NPI = C, E, then return error: FTRLSR421 NPDI VALID VALUE = B, D	
						13. If not populated and position 1 of REQTYP = Q and IS.NPI = C, E, then return error: FTRLSR422 NPDI IS REQUIRED FOR NPI	
						14. If populated and vv not = B, D and position 1 of REQTYP = Q and IS.NPI = C, E, then return error: FTRLSR423 NPDI VALID VALUE = B, D	
						15. If populated and position 1 of REQTYP = D, F and no occurrence of PS.NPI not = C, E, then return error: FTRLSR424 NPDI IS PROHIBITED FOR NPI	
						16. If populated and position 1 of REQTYP = E and no occurrence of RS.NPI not = C, E, then return error: FTRLSR425 NPDI IS PROHIBITED FOR NPI	
						17. If populated and position 1 of REQTYP = N and no occurrence of DDPS.NPI not = C, E, then return error: FTRLSR426 NPDI IS PROHIBITED FOR NPI	
						18.If populated and position 1 of REQTYP = P and no occurrence of CRS.NPI not = C, E, then return error: FTRLSR427 NPDI IS PROHIBITED FOR NPI	
						19.If populated and position 1 of REQTYP = Q and no occurrence of IS.NPI not = C, E, then return error: FTRLSR428 NPDI IS PROHIBITED FOR NPI	
075	FA	T				FRONTIER DOES NOT SUPPORT	Р
076	AFEATURE	T				FRONTIER DOES NOT SUPPORT	Р
077	AFEATURE DETAIL					FRONTIER DOES NOT SUPPORT	P
078	DLQTY	1				FRONTIER DOES NOT SUPPORT	Р



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	
Nbr	Field Name	Dennition	Data Char	Length	Range of Values	Rules/Edits	R/O/P
	Section		O TTAL	Longu			1
079	BI1 –Billing Account Identifier 1	Identifies the service type of the billing account number populated in the BAN1 field.	A		D-Directory L-Loop P-Port for TR008	 1.If populated and vv = D and REQTYP = AB and ACT = V and EU. ELT is not populated and DL form is not present, then return error: FTRLSR119 WHEN BI1 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT 2. If populated and vv not = D and BI2 not = D and REQTYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: FTRLSR122 BI1 WITH VALUE OF D REQUIRED 3. If populated and vv not = D and BI2 not = D and REQTYP = CB and (DL form is populated or EU.ELT = A), then return error: FTRLSR123 BI1 WITH DATA OF D REQUIRED WHEN REQTYP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED 4. If populated and vv not = D and REQTYP = BB and ACT = V and BI2 not = D and (DL LACT is populated or EU.ELT = A), then return error: FTRLSR302 BI1 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT = V and BI2 not = D and (DL LACT is populated or EU.ELT = A), then return error: FTRLSR302 BI1 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED 5. If populated and vv not = D and BI2 not = D and REQTYP = CB and (DL.LACT is populated or EU.ELT = A), then return error: FTRLSR217 BI1 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED 6. If populated and vv does not = D, L, P, return error FTRLSR124 BI1 VALID VALUE = D, L, P 7. If populated and vv does not = D, L, P, return error FTRLSR124 BI1 VALID VALUE = D, L, P 7. If populated and vv to = D and REQTYP = JB and ACT = V and BI2 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: FTRLSR296 BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI2 IS NOT EQUAL TO D 8. If populated and vv = D and REQTYP = AB and ACT = N, C and DL form is not present, then return error: FTRLSR346 DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI1 IS D 9. If populated and position 1 of REQTYP = E, K, L, N, P, Q,	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						10. If populated and REQTYP = CB and ACT = V and EU. ELT = B or blank, then return error: FTRLSR065 BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK	
						11. If populated $vv = D$ and BI2 = D return error: FTRLSR450 BI1 AND BI2 MAY NOT EQUAL D ON THE SAME ORDER.	
						12. If not populated and BI2 is not populated and REQTYP = AB and ACT = N, V and any occurrence of LACT is populated return error FTRLSR458 BI1 IS REQUIRED	
080	BAN1 – Billing Account Number 1	Identifies the billing account to which the recurring and	N	1 or 10	N or valid TN format NNNNNNNNN	1.If populated and vv = N and BI1 not = D, P, then return error: FTRLSR125 BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P	0
		non-recurring charges for this request will be billed				2. If populated and BI1 is not populated, then return error: FTRLSR126 BILLING ACCOUNT NUMBER 1 PROHIBITED	
						3. If populated and vv = N and REQTYP = JB and ACT = C, D, return error FTRLSR127 BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQTYP=JB AND ACT= C,D	
						4. If populated and dI =1 and vv not = N, then return error: FTRLSR128 BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER	
						5. If populated and dl not = 1 or 10, return error: FTRLSR129 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH	
						6. If not populated and BAN2 not populated and REQTYP = JB, then return error: FTRLSR280 BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQTYP = JB	
						7. If populated and dc contains special characters, then return error: FTRLSR286 BAN1 CANNOT CONTAIN SPECIAL CHARACTERS	
						8. If BI1 is populated and BAN1 is not populated return error FTRLSR456 BAN1 IS REQUIRED WHEN BI1 IS PRESENT	
081	BI2 – Billing Account Number Identifier 2	Identifies the service type of the billing account number	A	1	D-Directory L-Loop P-Port for TR008	1.If populated and vv = D and REQTYP = AB and ACT = V and EU.ELT is not populated and DL form is not present, then return error: FTRLSR130 WHEN BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr		populated in the BAN2 field.	Char	Length	Range of Values	Rules/Edits 2. If populated and vv does not = D, L, P, return error FTRLSR133 BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P 3. If populated and vv not = D and BI1 not = D and REQTYP = AB and ACT = C, D, N, V and any occurrence of DL.LACT is populated, then return error: FTRLSR307 BI2 WITH VALUE OF D REQUIRED	
						4. If populated and vv not = D and BI1 not = D and REQTYP = CB and (DL form is populated or EU.ELT = A), then return error: FTRLSR308 BI2 WITH DATA OF D REQUIRED WHEN REQTYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED	
						5. If populated and vv not = D and REQTYP = BB and ACT = V and BI1 not = D and (DL form is populated or EU.ELT = A), then return error: FTRLSR309 BI2 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED	
						6. If populated and vv not = D and BI1 not = D and REQTYP= CB and (DL Form is populated or EU.ELT = A), then return error: FTRLSR310 BI2 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED	
						7. If populated and vv not = D and REQTYP = JB and ACT = V and BI1 not = D and (BAN1 or BAN2 not = EU.MLTN), then return error: FTRLSR312 BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END USER MLTN AND BI1 IS NOT EQUAL TO D	
						8. If populated and vv = D and REQTYP = AB and ACT = N, C and DL form is not present, then return error: FTRLSR347 DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI2 IS D	
						9. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR375 BI2 IS PROHIBITED FOR REQTYP	
						10. If populated and REQTYP = CB and ACT = V and EU. ELT = B or blank, then return error: FTRLSR258 BI2 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						 11. If populated vv = D and BI1 = D return error: FTRLSR451 BI2 AND BI1 MAY NOT EQUAL D ON THE SAME ORDER. 12. If not populated and BI1 is not populated and REQTYP = AB and ACT = C, D, N, V and any occurrence of LACT is populated return error FTRLSR459 BI2 IS REQUIRED 	
082	BAN2 – Billing Account Number 2	Identifies the billing account to which the recurring and non-recurring charges for this request will be billed.	N	1 or 10	N or valid TN format NNNNNNNNN	 1.If populated and Bl2 is not populated, then return error: FTRLSR134 BILLING ACCOUNT NUMBER 2 PROHIBITED 2. If populated and vv = N and REQTYP = JB and ACT = C, D, return error FTRLSR135 BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D 3. If populated and dl =1 and vv not = N, then return error: FTRLSR136 BILLING ACCOUNT NUMBER 2 VALID VALUE MUST BE N WHEN FIELD LENGTH IS ONE CHARACTER 4. If populated and dl not = 1, 10, return error: FTRLSR137 BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1 OR 10 CHARACTERS IN LENGTH 5. If populated and vv = N and Bl2 not = D, P, then return error: FTRLSR303 BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P 6. If not populated and BAN1 not populated and REQTYP = JB, then return error: FTRLSR304 BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQTYP = JB 7. If populated and dc contains special characters, then return error: FTRLSR305 BAN2 CANNOT CONTAIN SPECIAL CHARACTERS 8. If Bl2 is populated and BAN2 is not populated return error FTRLSR457 BAN2 IS REQUIRED WHEN BI2 IS PRESENT 	0
083	ACNA – Access Customer Name Abbreviation	Identifies the COMMON LANGUAGE code of the customer to which the bill is to be rendered.	A	3-3		 1.If not populated and REQTYP = AB and ACT = N, D, C and position 2 of TOS = P, then return error: FTRLSR138 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED 2. If not populated and REQTYP = AB, and ACT = D, N, V and position 2 of TOS is F, then return error: FTRLSR281 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr		Deminion	Char	Length	Range of Values	Rules/Edits	11,011
						3. If populated and dl not = 3, then return error: FTRLSR139 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS	
						4. If populated and dc not = alpha, then return error: FTRLSR283 ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS	
						5. If not populated and REQTYP= BB and ACT = V and position 2 of TOS = F, then return error: FTRLSR282 ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED	
						6. If not populated and position 1 of REQTYP = D and PS.LNA = D, N, V and position 2 of PS.LTOS = P, then return error: FTRLSR376 ACNA IS REQUIRED	
084	EBD – Effective Billing Date	Identifies the effective date to begin or	AN	10	CCYYMMDD CC = 00-99 YY= 00-99	1.If populated and dl not = 8 characters, then return error: FTRLSR182 EBD EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS	0
		cease billing when the billing date is different from			MM = 01-12 DD=01-31	2. If populated and dc not = numeric, then return error: FTRLSR183 EBDEFFECTIVE BILLING DATE DATA MUST BE NUMERIC	
		the desired due date.				3. If populated and positions 5 to 6 (MM) are not 01 to12, then return error: FTRLSR184 EBD EFFECTIVE BILLING DATE MONTH MUST BE 01 TO12	
						4. If populated and positions 7-8 (DD) not = 01-31, then return error: FTRLSR185 EBD EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31	
085	NRI					FRONTIER DOES NOT SUPPORT (FTRLSR464)	Р
086	BILLNM – Billing Name	Identifies the name of the person, office or company to	AN & ' \$ - # () %	1-25		1.If populated and dl > 25, then return error: FTRLSR142 BILLING NAME MAY NOT EXCEED 25 CHARACTERS	0
		whom the customer has designated that the bill be sent.	. "` space			2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign, period, quotation marks, space, then return error: FTRLSR143 INVALID SPECIAL CHARACTERS IN BILL NAME	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR378 BILLNM IS PROHIBITED FOR REQTYP	
087	SBILLNM – Secondary Billing Name	Identifies the name of a department or	AN &`\$- #(1-25		1.If populated and dl > 25, then return error: FTRLSR144 SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS	0
		group within the designated	#(%." space			2. If populated and special characters not = apostrophe, ampersand, dollar sign, hyphen, number sign, double parentheses, percent sign,	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
		BILLNM field entry.				period, quotation marks, space, then return error: FTRLSR145 INVALID SPEICAL CHARACTERS IN SECONDARY BILL NAME	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR379 SBILLNM IS PROHIBITED FOR REQTYP	
087a	TE –Tax Exempt		A	1	F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	1.If populated and vv not = F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P return error message FTRLSR146 TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P	0
088	STREET- Street Bill Address	Identifies the street address.	AN & ' , - / space	1-25		1.If populated and dl > 25, then return error: FTRLSR147 STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS	0
						2. If populated and special characters does not = ampersand, apostrophe, comma, hyphen, virgule, space, then return error: FTRLSR148 INVALID SPECIAL CHARACTERS IN STREET	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR380 STREET IS PROHIBITED FOR REQTYP	
089	FLOOR – Bill Floor	Identifies the floor.	AN , space	1-10		1.If populated and dl > 10, then return error: FTRLSR149 BILL FLOOR MAY NOT EXCEED 10 CHARACTERS	0
			space			2. If populated and special characters not = Comma, Space, then return error: FTRLSR150 INVALID SPECIAL CHARACTERS IN FLOOR	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR381 FLOOR IS PROHIBITED FOR REQTYP	
090	ROOM/MAIL STOP- Bill Room/Mail stop	Identifies the room or mail stop.	AN - , space	1-10		1.If populated and dl > 10, then return error: FTRLSR151 BILL ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS	0
			space			2. If populated and special characters not = hyphen, comma, space, then return error: FTRLSR152 INVALID SPECIAL CHARACTERS IN ROOM/MAIL STOP	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR382 ROOM/MAIL STOP IS PROHIBITED FOR REQTYP	
091	CITY-Bill City	Identifies the city, village, township, etc.	AN & ' - # () *	1-32		1.If populated and dl > 32, then return error: FTRLSR153 BILL CITY MUST BE 1 TO 32 CHARACTERS	0
			space			2. If populated and special characters not = ampersand, asterisk, apostrophe, hyphen, space, number sign, parentheses, then return error: FTRLSR154 INVALID SPECIAL CHARACTERS IN CITY	
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR383 CITY IS PROHIBITED FOR REQTYP	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr		Dominion	Char	Length	Range of Values	Rules/Edits	
092	STATE – Bill State	Identifies the abbreviation for the state or province.	A	2		 1.If populated and dc not = alpha, then return error: FTRLSR155 BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS 2. If populated and dl not = 2, then return error: FTRLSR284 BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS 	0
						3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR384 STATE IS PROHIBITED FOR REQTYP	
093	ZIP – Bill ZIP/Postal Code	Identifies the ZIP code, ZIP code + extension or postal code.	AN	1-12		 1.If populated and dl > 12, then return error: FTRLSR156 BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS 2. If populated and special character not = space, then return error: FTRLSR188 ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return 	0
094	BILLCON – Billing Contact	Identifies the name of the person or office to be contacted on billing matters.	AN ', space	1-25		 error: FTRLSR385 ZIP IS PROHIBITED FOR REQTYP 1.If populated and dl > 25, then return error: FTRLSR157 BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR158 INVALID SPECIAL CHARACTERS IN BILLCON 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR386 BILLCON IS PROHIBITED FOR REQTYP 	0
095	TEL NO – Bill Contact Telephone Number	Identifies the telephone number.	AN	10-14 Allow hyphen s	TN format NNN-NNN-NNNN	 1.If populated and (dl < 10 or > 14), then return error: FTRLSR203 BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS 2. If populated and special character not = hyphen, then return error: FTRLSR191 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR387 TEL NO IS PROHIBITED FOR REQTYP 	0
096	VTA					FRONTIER DOES NOT SUPPORT	Р
	act Section				l 		
097	INIT – Initiator Identification	Identifies the customer's representative who originated this request.	AN ' , space	1-25		 1.If populated and dl > 25, then return error: FTRLSR160 INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS 2. If populated and special characters not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR161 INVALID SPECIAL CHARACTERS IN INIT 	С



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr			Char	Length	Range of Values	Rules/Edits	
						3. If not populated and REQTYP does not equal CB and ACT does not equal V, then return error: FTRLSR192 INITIATOR REQUIRED	
098	TEL NO – Initiator Telephone Number	Identifies the telephone number of the initiator	AN -	10-14 Allow hyphen		 1.If not populated, then return error: FTRLSR193 INITIATOR TELEPHONE NUMBER REQUIRED 2. If populated and (dl < 10 or > 14), then return error: FTRLSR194 INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS 3. If populated and special characters not = hyphen, then return error: FTRLSR195 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER 	R
099	EMAIL – Electronic Mail	Identifies the electronic mail address of the initiator.	AN	1-60		 1.If populated and dl>60, return error FTRLSR529 EMAIL CANNOT EXCEED 60 CHARACTERS 2.If not populated and LSR.SUP = 6, return error FTRLSR471 EMAIL REQUIRED 	0
100	FAX NO – Facsimile Number	Identifies the fax number of the initiator	N	10		1.If populated and dl does not = 10 or dc is not numeric, return error FTRLSR530 FAX NO MUST BE 10 DIGIT NUMERIC	0
101	IMPCON – Implementation Contact	Identifies the customer's representative or office for control of installation and completion.	AN ', space	1-15		 1.If not populated and CHC = Y, A, B, then return error: FTRLSR163 IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B 2. If populated and dl > 15, then return error: FTRLSR164 IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS 3. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR165 INVALID SPECIAL CHARACTERS IN IMPCON 4. If not populated and REQTYP = AB and (LS.CI = E or LS.LNA = N), then return error: FTRLSR351 IMPLEMENTATION CONTACT IS REQUIRED 5. If not populated and position 1 of REQTYP = D and PS.LNA = N, T, then return error: FTRLSR388 IMPCON IS REQUIRED 6. If not populated and position 1 of REQTYP = E and RS.LNA = N, T, then return error: FTRLSR389 IMPCON IS REQUIRED 7. If not populated and REQTYP = FB and PS.LNA = N, return error FTRLSR429 IMPCON IS REQUIRED FOR LNA 	0



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr		Dominion	Char	Length	Range of Values	Rules/Edits	
						8. If not populated and position 1 of REQTYP = K and RPL.LNA = N, then return error: FTRLSR430 IMPCON IS REQUIRED FOR LNA	
						9. If not populated and position 1 of REQTYP = L and RFR.LNA = N, then return error: FTRLSR431 IMPCON IS REQUIRED FOR LNA	
						10. If not populated and position 1 of REQTYP = N and DDPS.TNA = N, then return error: FTRLSR432 IMPCON IS REQUIRED FOR TNA	
						11. If not populated and position 1 of REQTYP = P and CRS.LNA = N, then return error: FTRLSR433 IMPCON IS REQUIRED FOR LNA	
						12. If not populated and position 1 of REQTYP = Q and IS.LNA = N, then return error: FTRLSR434 IMPCON IS REQUIRED FOR LNA	
						13.If not populated and LSR.SUP = 6, return error FTRLSR470 IMPLEMENTATION CONTACT IS REQUIRED	
102	TEL NO – Implementation Contact Telephone	Indicates the telephone number of the implementatio n contact.	N -	10-14		1.If not populated and IMPCON is populated, then return error: FTRLSR166 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED	
	Number					2. If populated and IMPCON is not populated, then return error: FTRLSR167 IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED	
						3. If populated and (dl < 10 or > 14), then return error: FTRLSR196 IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS	
						4. If populated and special characters not = hyphen, then return error: FTRLSR197 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER	
102a	PAGER – Implementation Contact Pager Number	Indicates the pager number of the implementatio n contact	AN & ' * : , \$ - # () % .	10-25		1.If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: FTRLSR169 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC	0
			+ " ; / space			2. If populated and (dl < 10 or > 25), then return error: FTRLSR170 IMPLEMENTATION CONTACT PAGER NUMBER MUST BE $10 - 25$ CHARACTERS	
						3. If populated and special character not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen,	



Version: 9.30.28

Fld	Field Name	Definition	Data	Field	Valid Values	Conditional Business	R/O/P
Nbr	i ioia italiio	Dominion	Char	Length	Range of Values	Rules/Edits	i u on
						 Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, Semicolon, Space, Virgule, then return error: FTRLSR171 INVALID SPECIAL CHARACTERS IN PAGER 4. If populated and IMPCON is not populated, then return error: FTRLSR316 PAGER PROHIBITED WHEN IMPCON NOT POPULATED 	
103	ALT IMPCON – Alternate Implementation Contact	Identifies the customer's alternative representative or office responsible for control of installation and completion.	AN ', space	1-15		 1.If populated and dl > 15, then return error: FTRLSR172 ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS 2. If populated and special character not = apostrophe, comma, hyphen, period, space, then return error: FTRLSR173 INVALID SPECIAL CHARACTERS IN ALT IMPCON 3. If populated and position 1 of REQTYP = E, K, L, N, P, Q, then return error: FTRLSR390 ALT IMPCON IS PROHIBITED FOR REQTYP 	0
104	TEL NO – Alternate Implementation Contact Telephone Number	Identifies the telephone number of the alternate implementatio n contact.	N -	10-14		 1.If populated and ALT IMPCON is not populated, then return error: FTRLSR174 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED 2. If not populated and ALT IMPCON is populated, then return error: FTRLSR175 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED 3. If populated and (dl < 10 or > 14), then return error: FTRLSR198 ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS 4. If populated and special characters not = hyphen, then return error: FTRLSR199 HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER 	0
104a	PAGER – Alternate Implementation Contact Pager Number	Indicates the pager number of the alternate implementatio n contact	AN & '*: , \$ - # () % . + "; / space	10-25		 1.If populated and (dl < 10 or > 25), then return error: FTRLSR177 ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS 2. If populated and vv contains Virgule and it is not preceded and followed by a numeric, then return error: FTRLSR245 PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC. 3. If populated and special characters not = Ampersand, Apostrophe, Asterisk, Colon, Comma, Dollar Sign, Hyphen, Number Sign, Parentheses, Percent Sign, Period, Plus Sign, Quotation Marks, 	0



Version: 9.30.28

LSR FORM Effective: 10/20/2024

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values Range of Values	Conditional Business Rules/Edits	R/O/P
						Semicolon, Space and, then return error: FTRLSR298 INVALID SPECIAL CHARACTERS	
						4. If populated and ALT IMPCON is not populated, then return error: FTRLSR317 PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED	
105	DSGCON					FRONTIER DOES NOT SUPPORT	Р
106	DRC					FRONTIER DOES NOT SUPPORT	P
107	TEL NO					FRONTIER DOES NOT SUPPORT	P
108	FAX NO					FRONTIER DOES NOT SUPPORT	P
109	EMAIL					FRONTIER DOES NOT SUPPORT	P
110	STREET					FRONTIER DOES NOT SUPPORT	P
111	FLOOR					FRONTIER DOES NOT SUPPORT	P
112	ROOM/MAIL STOP					FRONTIER DOES NOT SUPPORT	P
113	CITY					FRONTIER DOES NOT SUPPORT	Р
114	STATE					FRONTIER DOES NOT SUPPORT	Р
115	ZIP					FRONTIER DOES NOT SUPPORT	Р
REMA	ARKS Section						
116	REMARKS – Remarks	Identifies the first occurrence of a free flowing field that can be used to expand upon and clarify other data on this request.	AN & ';, \$ - # () % . + ";/ space	1-500		 1.If populated and virgule (/) exists and is not immediately preceded and followed by a numeric, then return error: FTRLSR178 VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC 2. If populated and dl > 500, then return error: FTRLSR179 REMARKS MAY NOT EXCEED 500 CHARACTERS 3. If populated and special characters not = ampersand, apostrophe, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sigh, period, plus sign, quotation marks, semicolon, space, virgule, at sign(@), then return error: FTRLSR200 INVALID SPECIAL CHARACTERS IN REMARKS 4. If not populated and SUP = 3, then return error: FTRLSR318 	0
						REMARKS REQUIRED WHEN SUP 3	

APPENDIX A: ERROR MESSAGE TABLE



Error Message Number	Error Message Text
FTRLSR001	CUSTOMER CARRIER NAME ABBREVIATION REQUIRED
FTRLSR002	CCNA OF 'CUS' REQUIRES AN ENTRY IN CC
FTRLSR003	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE 3 CHARACTERS
FTRLSR004	CUSTOMER CARRIER NAME ABBREVIATION DATA MUST BE ALPHABETIC
FTRLSR005	DESIRED DUE DATE OR DESIRED DUE DATE OUT MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
FTRLSR006	PURCHASE ORDER NUMBER MUST BE 4-16 CHARACTERS
FTRLSR007	PURCHASE ORDER NUMBER IS REQUIRED
FTRLSR008	ONLY SPECIAL CHARACTER ALLOWED IN PON IS HYPHEN
FTRLSR009	VERSION REQUIRED WITH SUP
FTRLSR010	VERSION DATA LENGTH MUST BE 2 CHARACTERS
FTRLSR011	LOCATION QUANTITY IS REQUIRED
FTRLSR012	LOCATION QUANTITY MUST BE NUMERIC CHARACTERS
FTRLSR013	HTQTY IS PROHIBITED FOR REQTYP/ACT
FTRLSR014	ATN NOT ALLOWED FOR REQTYP
FTRLSR015	DDD MUST BE GREATER THAN OR EQUAL TO CURRENT DATE
FTRLSR016	DESIRED DUE DATE LENGTH MUST BE 8 CHARACTERS
FTRLSR017	DESIRED DUE DATE DATA MUST BE NUMERIC
FTRLSR018	DESIRED DUE DATE MONTH MUST BE 01-12
FTRLSR019	DESIRED DUE DATE DAY MUST BE 01-31
FTRLSR020	DESIRED DUE DATE IS REQUIRED
FTRLSR021	DESIRED FRAME DUE TIME LENGTH MUST BE 6 CHARACTERS
FTRLSR022	DESIRED DUE DATE OUT VALID DATE FORMAT CCYYMMDD REQUIRED
FTRLSR023	DESIRED DUE DATE OUT DATA LENGTH MUST BE 8 CHARACTERS
FTRLSR024	DESIRED DUE DATE OUT DATA MUST BE NUMERIC
FTRLSR025	DESIRED DUE DATE OUT MONTH MUST BE 01-12
FTRLSR026	DESIRED DUE DATE OUT DAY MUST BE 01-31
FTRLSR027	NOR INVALID DATA IN LAST 2 POSITIONS
FTRLSR028	NOR PROHIBITED WHEN RPON IS NOT PRESENT
FTRLSR029	NOR IS REQUIRED WHEN RPON IS PRESENT
FTRLSR030	NOR LENGTH MUST BE 4 CHARACTERS
FTRLSR031	DESIRED FRAME DUE TIME VALID FORMAT IS HHMMAM OR HHMMPM
FTRLSR032	DFDT IS REQUIRED WHEN CHC IS Y, A or B
FTRLSR033	CCNA VALID VALUE = CUS IS PROHIBITED
FTRLSR034	REQTYP INVALID FOR SERVICE TERRITORY
FTRLSR035	REQTYP MUST = AB, BB
FTRLSR036	DESIRED FRAME DUE TIME HOUR MUST BE 01 – 12
FTRLSR037	VERSION REQUIRED
FTRLSR038	REQ TYPE MUST EQUAL EB IF TOS POS 4 = B,O
FTRLSR039	PROJINDR IS REQUIRED WHEN PROJECT IS PRESENT
FTRLSR040	PROJECT INDICATOR MAY ONLY BE C OR V
FTRLSR041	PROJECT IDENTIFICATION DATA MAY NOT EXCEED 16 CHARACTERS
FTRLSR042	INVALID SPECIAL CHARACTER (S) IN PROJECT



FTRLSR043DESIRED FRÂME DUE TIME MINUTE MUIST BE 00 - 59FTRLSR044INVALD SPECIAL CHARACTERSFTRLSR045DATA MAY ONLY BE Y OR A OR BFTRLSR046REQTYP IS PROHIBITEDFTRLSR047SUB LOOP INDICATOR IS REQUIREDFTRLSR048SUB LOOP INDICATOR IS REQUIREDFTRLSR049SUB LOOP INDICATOR NA MAY ONLY BE B, C, H, V OR SFTRLSR049SUB LOOP INDICATOR ANA YONLY BE B, C, H, V OR SFTRLSR050ACT MAY ONLY BE V, C, D, T, R, MFTRLSR051ACT MAY ONLY BE V, C, D, T, R, MFTRLSR052DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATAFTRLSR053HTOTY IS REQUIREDFTRLSR054ACTIVITY MUST BE V FOR REGTYP BBFTRLSR055HTOTY IS REOHIBITEDFTRLSR056ONSP IS PROHIBITED FOR REGTYPFTRLSR057SUP 4 OR 5 IS ONLY ALLOWED IF SLIIS SFTRLSR058SLI MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR050EXP PROHIBITEDFTRLSR061EXP VAUID VAUUE-YFTRLSR062EXP PROHIBITEDFTRLSR063COMPANY CODE IS TROHIBITEDFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BH IS PROHIBITED WHEN THE REGTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTOTY IS PROHIBITEDFTRLSR066HTOTY SPROHIBITED WHEN THE REGTYP FOR SERVICE TERRITORYFTRLSR066HTOTY SPROHIBITED WHEN THE REGTYP FOR SERVICE TERRITORYFTRLSR066HTOTY VALD VALUE = 2 NUMERICFTRLSR067NEW NE IWORK SERVICE PROVIDER I	Error Message Number	Error Message Text
FTRLSR044 INVALID SPECIAL CHARACTERS FTRLSR046 DATA MAY ONLY BE Y OR A OR B FTRLSR046 RECTYP IS PROHIBITED FTRLSR047 SUB LOOP INDICATOR IS PROHIBITED FTRLSR048 SUB LOOP INDICATOR IS PROHIBITED FTRLSR049 SUB LOOP INDICATOR IS PROHIBITED FTRLSR050 ACT MAY ONLY BE V, OL, D. T. R. M FTRLSR051 ACT MAY ONLY BE V, OL, D. T. R. M FTRLSR053 HTOTY IS REQUIRED FTRLSR054 ACT MAY ONLY BE V FOR REQTYP BB FTRLSR055 HTOTY IS REQUIRED FTRLSR056 ONSP IS PROHIBITED FOR REQTYP BB FTRLSR056 ONSP IS PROHIBITED FOR REQTYP FTRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IS SLIS S FTRLSR058 SLI MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR058 SLI MUST DE S FTRLSR059 SUP PROHIBITED OF REDTYP FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUEY FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR064 COMPANY CODE IS PROHIBITED FTRLSR065 BII IS PROHIBITED WHEN THE CHC PRO SERVICE TERRITORY		
FTRLSR045DATA MAY ONLY BE Y OR A OR BFTRLSR047SUB LOOP INDICATOR IS PROHIBITEDFTRLSR048SUB LOOP INDICATOR IS REQUIREDFTRLSR049SUB LOOP INDICATOR ROTA TA MAY ONLY BE B, C, H, V OR SFTRLSR050ACT MAY ONLY BE V, V, C, D, T, R, MFTRLSR051ACT MAY ONLY BE UFTRLSR052DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATAFTRLSR053HTOTY IS FRQUIREDFTRLSR054ACTIVITY MUST BE V FOR REOTYP BBFTRLSR055HTOTY IS FROHIBITEDFTRLSR056ONSP IS PROHIBITED FOR REOTYPFTRLSR057SUP 40 RS 16 ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR058SLI MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR058SLI MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059EXPEDITE 15 PROHIBITEDFTRLSR061EXP VALID VALUE-YFTRLSR062EXP PROHIBITED ONE DATOR WIST BE 4 CHARACTERSFTRLSR063BI IS PROHIBITED WHEN THE CHC = A or BFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI IS PROHIBITED WHEN THE REOTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTOTY IS PROHIBITEDFTRLSR067NEW METWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITEDFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDF	FTRLSR044	
FTRLSR046 RECTYP IS PROHIBITED FTRLSR047 SUB LOOP INDICATOR IS PROHIBITED FTRLSR048 SUB LOOP INDICATOR IS PROHIBITED FTRLSR049 SUB LOOP INDICATOR IS PROHIBITED FTRLSR050 ACT MAY ONLY BE N, C, D, T, R, M FTRLSR050 ACT MAY ONLY BE N, C, D, T, R, M FTRLSR051 ACT MAY ONLY BE N, C, D, T, R, M FTRLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA FTRLSR053 HTOTY IS REQUIRED FTRLSR054 ACTIVITY MUST BE V, FOR RECITYP BB FTRLSR055 HOTY IS PROHIBITED FTRLSR056 ONSP IS PROHIBITED FOR RECITYP FTRLSR057 SUP 4 OR S IS ONLY ALLOWED IF SLI IS S FTRLSR058 SLI MUST BE S FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP PONHBITED MUEN THE CHC = A or B FTRLSR062 EXP PROHIBITED MUEN THE CHC = A or B FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 B11 IS PROHIBITED WHEN THE RECTYP IS CB AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HIOTY SI PROHIBITED WHEN THE RECTYP FOR SERVICE TERNITORY FTRLSR067		
FTRLSR047 SUB LOOP INDICATOR IS PROHIBITED FTRLSR048 SUB LOOP INDICATOR IS REQUIRED FTRLSR049 SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S FTRLSR050 ACT MAY ONLY BE V, C, D, T, R, M FTRLSR051 ACT MAY ONLY BE V, C, D, T, R, M FTRLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA FTRLSR053 HTQTY IS REQUIRED FTRLSR054 ACTIVITY MUST BE V FOR REQTYP BB FTRLSR055 HTQTY IS PROHIBITED FTRLSR056 ONSP IS PROHIBITED FOR REQTYP BB FTRLSR056 ONSP IS PROHIBITED FOR REQTYP FTRLSR057 S UP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSR058 SLIP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR061 EXP PROHIBITED FTRLSR062 EXP BONHIBITED FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE OTA MUST BE 4 CHARACTERS FTRLSR065 BI IS PROHIBITED WHEN THE REQTYP IS CB AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTOTY IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 BI IS PROHIBITED WHEN THE REQTYP FOR SERVICE TERRITORY FTRLSR067 NEW NETWORK SERVICE PR		
FTRLSR048 SUB LOOP INDICATOR IS REQUIRED FTRLSR049 SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR S FTRLSR050 ACT MAY ONLY BE N, V, C, D, T, R, M FTRLSR051 ACT MAY ONLY BE V FTRLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA FTRLSR053 HTQTY IS REQUIRED FTRLSR054 ACTIVITY MUST BE V FOR REQTYP BB FTRLSR055 HTQTY IS PROHIBITED FOR REQTYP FTRLSR056 ONSP IS PROHIBITED FOR REQTYP FTRLSR056 ONSP IS PROHIBITED FOR REQTYP FTRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSR058 SLI MUST BE 5 FTRLSR059 SUP MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR050 EXPEDITE IS PROHIBITED FTRLSR060 EXPEDITE IS PROHIBITED THE CHC = A or B FTRLSR061 EXP VALID VALUE=* FTRLSR065 Bil I S PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQT IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQT Y IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQTY IS PROHIBITED WHEN THE REQTYPY IS CB AND THE ACT IS V AN		
FTRLSR049SUB LOOP INDICATOR DATA MAY ONLY BE B, C, H, V OR SFTRLSR050ACT MAY ONLY BE N, V, C, D, T, R, MFTRLSR051ACT MAY ONLY BE V, C, D, T, R, MFTRLSR052DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATAFTRLSR053HTOTY IS REQUIREDFTRLSR054ACTIVITY MUST BE V FOR REQTYP BBFTRLSR055HTOTY IS PROHIBITEDFTRLSR056ONSP IS PROHIBITEDFTRLSR057SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE SFTRLSR058SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059SUP PROHIBITEDFTRLSR056EXP DYNUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR061EXP DYNUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR062EXP PROHIBITEDFTRLSR064COMPANY CODE IS PROHIBITEDFTRLSR065BI IS PROHIBITEDFTRLSR066EXP DYNUST BE 1 CHARACTERSFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR066HTOTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTOTY YULID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY		
FTRLSR050ACT MAY ONLY BE N, V, C, D, T, R, MFTRLSR051ACT MAY ONLY BE VFTRLSR052DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATAFTRLSR053HTGTY IS REQUIREDFTRLSR054ACTIVITY MUST BE V FOR REQTYP BBFTRLSR055HTGTY IS PROHIBITEDFTRLSR056ONSP IS PROHIBITED FOR REQTYPFTRLSR057SUP 4 0R 5 IS ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059SUP MUBE 1, 2, 3, 4, 5, 6 or 7FTRLSR050EXPEDITE IS PROHIBITEDFTRLSR061EXP POHIBITED WHEN THE CHC = A or BFTRLSR062EXP POHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE IS PROHIBITEDFTRLSR065B1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITED WHEN THE REQTYP FOR SERVICE TERRITORYFTRLSR066HTQTY IS PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069ACENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION NUST BE 1 CHARACTERSFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERS		
FTRLSR051 ACT MAY ONLY BE V FTRLSR052 DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATA FTRLSR053 HTQTY IS REQUIRED FTRLSR054 ACTIVITY MUST BE V FOR REQTYP BB FTRLSR055 HTQTY IS REQUIRED FTRLSR056 ONSP IS PROHIBITED FOR REQTYP FTRLSR056 ONSP IS PROHIBITED FOR REQTYP FTRLSR057 SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS S FTRLSR058 SLI MUST BE 1, 2, 3, 4, 5, 6 or 7 FTRLSR060 EXPEDITE IS PROHIBITED FTRLSR061 EXP VALID VALUE=Y FTRLSR062 EXP PROHIBITED WHEN THE CHC = A or B FTRLSR063 COMPANY CODE IS PROHIBITED FTRLSR064 COMPANY CODE DATA MUST BE 4 CHARACTERS FTRLSR065 BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK FTRLSR066 HTQTY VS PROHIBITED WHEN THE REQTYP FOR SERVICE TERRITORY FTRLSR067 NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERS FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORY FTRLSR068 TOS POSITION 2 PROHIBITED WITH REQURED FTRLSR069		
FTRLSR052DESIRED FRAME DUE TIME ONLY AM OR PM ALLOWED IN LAST TWO POSITIONS OF THE DATAFTRLSR053HTQTY IS REQUIREDFTRLSR054ACTIVITY MUST BE V FOR REQTYP BBFTRLSR055HTQTY IS PROHIBITEDFTRLSR056ONSP IS PROHIBITED FOR REQTYPFTRLSR057SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS SFTRLSR058SU MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059EXPEDITE IS PROHIBITEDFTRLSR061EXP ADU D VALUE=YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI I S PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTOTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTOTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION SE DEQUIRED <tr< td=""><td></td><td></td></tr<>		
FTRLSR053HTQTY IS REQUIREDFTRLSR054ACTIVITY MUST BE V FOR REQTYP BBFTRLSR055HTQTY IS PROHIBITEDFTRLSR056ONSP IS PROHIBITED FOR REQTYPFTRLSR057SUP 4 OF S IS ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE SFTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR050EXPEDITE IS PROHIBITEDFTRLSR051EXP VALID VALUE=YFTRLSR052EXP VALID VALUE=YFTRLSR053COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE IS PROHIBITEDFTRLSR065BI1 IS PROHIBITED WHEN THE CHC = A or BFTRLSR065BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITEDFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 C		
FTRLSR054ACTIVITY MUST BE V FOR REQTYP BBFTRLSR055HTQTY IS PROHIBITED FOR REQTYPFTRLSR056ONSP IS PROHIBITED FOR REQTYPFTRLSR057SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE SFTRLSR058SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR060EXPEDITE IS PROHIBITEDFTRLSR061EXP VALID VALUE-YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI 1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR060TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS <td></td> <td></td>		
FTRLSR055HTQTY IS PROHIBITEDFTRLSR056ONSP IS PROHIBITED FOR REQTYPFTRLSR057SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE SFTRLSR069SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR060EXPEDITE IS PROHIBITEDFTRLSR061EXPEDITE IS PROHIBITED WHEN THE CHC = A or BFTRLSR062EXP FOHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065B1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITED WHEN THE REQTYP FOR SERVICE TERRITORYFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076LOCAL SERVICE OFTOS MUST BE 1, 2, 3 OR 4FTRLSR077FIRST CHAR		
FTRLSR056ONSP IS PROHIBITED FOR REQTYPFTRLSR057SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE SFTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR060EXPEDITE IS PROHIBITEDFTRLSR061EXP VALID VALUE*YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITED OD TATA MUST BE 4 CHARACTERSFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITEDFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR078LOCAL SERVICE OFFICE MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRS		
FTRLSR067SUP 4 OR 5 IS ONLY ALLOWED IF SLI IS SFTRLSR058SLI MUST BE SFTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR060EXPEDITE IS PROHIBITEDFTRLSR061EXP CALID VALUE YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE IS PROHIBITEDFTRLSR065Bi 1 IS PROHIBITED WHEN THE CHC = A or BFTRLSR066HI 1S PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HI TOTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTOTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR078LOCAL SERVICE OF TOS MUST BE 1, 2, 3 OR 4FTRLSR079LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 1, 2 OR 3FTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FI		
FTRLSR058SLI MUST BE SFTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR060EXPEDITE IS PROHIBITEDFTRLSR061EXP VALID VALUE=YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE IS PROHIBITEDFTRLSR065Bi1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 03 4FTRLSR078LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR079LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALID<		
FTRLSR059SUP MUST BE 1, 2, 3, 4, 5, 6 or 7FTRLSR060EXPEDITE IS PROHIBITEDFTRLSR061EXP VALID VALUE=YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065B11 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR080TYPE OF SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MU		
FTRLSR060EXPEDITE IS PROHIBITEDFTRLSR061EXP VALID VALUE=YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTOTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3		
FTRLSR061EXP VALID VALUE=YFTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065Bi1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR078LOCAL SERVICE OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR062EXP PROHIBITED WHEN THE CHC = A or BFTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR063COMPANY CODE IS PROHIBITEDFTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERSFTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR078LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR064COMPANY CODE DATA MUST BE 4 CHARACTERSFTRLSR065BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR065BI1 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANKFTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 1, 2 OR 3FTRLSR080TYPE OF SERVICE MUST BE CHARACTERSFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3		
FTRLSR066HTQTY IS PROHIBITEDFTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERSFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION NUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR067NEW NETWORK SERVICE PROVIDER IDENTIFICATION MUST BE 4 CHARACTERSFTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE TOR MUST BE 6 CHARACTERSFTRLSR079LOCAL SERVICE IS INVALIDFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3		
FTRLSR068TOS POSITION 2 PROHIBITED WITH REQTYP FOR SERVICE TERRITORYFTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3		
FTRLSR069AGENCY AUTHORIZATION STATUS IS REQUIREDFTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE TOFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3		
FTRLSR070HTQTY VALID VALUE = 2 NUMERICFTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR071ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR072ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR073ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR074SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS REQUIREDFTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR075SECONDARY ACCESS CUSTOMER TERMINAL LOCATION IS PROHIBITEDFTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR076SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERSFTRLSR077FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR078LOCAL SERVICE TERMINATION MAY NOT EXCEED 11 CHARACTERSFTRLSR079LOCAL SERVICE OFFICE MUST BE 6 CHARACTERSFTRLSR080TYPE OF SERVICE IS INVALIDFTRLSR081FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3FTRLSR082FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1	FTRLSR076	SECONDARY ACCESS CUSTOMER TERMINAL LOCATION MUST BE 11 CHARACTERS
FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1	FTRLSR077	FIRST CHARACTER OF TOS MUST BE 1, 2, 3 OR 4
FTRLSR079 LOCAL SERVICE OFFICE MUST BE 6 CHARACTERS FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR080 TYPE OF SERVICE IS INVALID FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR081 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1, 2 OR 3 FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
FTRLSR082 FIRST CHARACTER OF TYPE OF SERVICE MUST BE 1		
	FTRLSR083	TOS POSITION 2 INVALID



Version: 9.30.28

Error Message Number	Error Message Text
FTRLSR084	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B, C, D, E, F, H, J, K, P, Q, R, T, W, X, Y, Z, - (hyphen), 1, 2,
	3, 4, 5, 6, 7
FTRLSR085	THIRD CHARACTER OF TYPE OF SERVICE MAY ONLY BE M, F, G, -(hyphen), 1, 2, 3, 4, 5, 6, B, P
FTRLSR086	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B,O, - (hyphen), 1, 2, S, L
FTRLSR087	ACCOUNT STRUCTURE CHANGE NOT VALID FOR REQTYP
FTRLSR088	SERVICE AND PRODUCT ENHANCEMENT CODE MAY ONLY BE 5-7 CHARACTERS
FTRLSR089	
FTRLSR090	NETWORK CHANNEL CODE MUST BE 4 CHARACTERS
FTRLSR091	NETWORK CHANNEL INTERFACE CODE IS REQUIRED
FTRLSR092	NETWORK CHANNEL INTERFACE CODE IS PROHIBITED
FTRLSR093	NETWORK CHANNEL INTERFACE CODE MAY ONLY BE 5-12 CHARACTERS
FTRLSR094	INVALID SPECIAL CHARACTERS IN NCI
FTRLSR095	TOS POSITION 3 INVALID
FTRLSR096	SECNCI MAY ONLY BE 5-12 CHARACTERS
FTRLSR097	INVALID SPECIAL CHARACTERS IN SECNCI
FTRLSR098	RELATED PON PROHIBITED WHEN NOR IS NOT PRESENT
FTRLSR099	RELATED PON REQUIRED WHEN NOR IS PRESENT
FTRLSR100	RELATED PON MUST BE 4 TO 16 CHARACTERS
FTRLSR101	INVALID SPECIAL CHARACTERS IN RPON
FTRLSR102	RELATED PON VERSION PROHIBITED WHEN RELATED PON IS NOT PRESENT
FTRLSR103	RPVER IS REQUIRED WHEN RPON IS PRESENT
FTRLSR104	RELATED PON VERSION MUST BE IN THE RANGE OF 00-99
FTRLSR105	RELATED ORDER NUMBER MAY NOT EXCEED 20 CHARACTERS
FTRLSR106	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR107	LOCAL SERVICE PROVIDER AUTHORIZATION MUST BE 1 TO 4 CHARACTERS
FTRLSR108	ATN IS REQUIRED
FTRLSR109	ATN IS REQUIRED
FTRLSR110	LOCAL SERVICE PROVIDER AUTHORIZATION DATE MONTH MUST BE 01-12
FTRLSR111	DAY MUST BE 01 TO 31
FTRLSR112	ATN IS REQUIRED
FTRLSR113	LOCAL SERVICE PROVIDER AUTHORIZATION NAME MAY ONLY BE 1-15 CHARACTERS
FTRLSR114	LOCAL SERVICE PROVIDER AUTHORIZATION NUMBER MAY ONLY BE 1 TO 16 CHARACTERS
FTRLSR115	NUMBER PORTABILITY DIRECTION MAY ONLY BE C OR D FOR THIS REQTYP
FTRLSR116	NUMBER PORTABILITY DIRECTIONMAY ONLY BE D FOR THIS REQTYP
FTRLSR117	NUMBER PORTABILITY DIRECTION REQUIRED
FTRLSR118	ATN VALID VALUE = N IS PROHIBITED
FTRLSR119	WHEN BI1OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM MUST BE SENT
FTRLSR120	ATN MUST EQUAL LTN WHEN AC = A
FTRLSR121	ATN IS REQUIRED
FTRLSR122	BI1 WITH VALUE OF D REQUIRED
FTRLSR123	BI1 WITH DATA OF D REQUIRED WITH REQTYP=CB, WHEN REQTYP=CB, BI2 IS NOT D AND EITHER ELT = A OR DL
	FORM IS POPULATED



Error Maccore Number	Ever Measure Taxt
Error Message Number	Error Message Text
FTRLSR124	BI1 VALID VALUE = D, L, P
FTRLSR125	BILLING ACCOUNT NUMBER 1 VALID VALUE OF N ONLY ALLOWED WHEN BI1 = D, P
FTRLSR126	BILLING ACCOUNT NUMBER 1 PROHIBITED
FTRLSR127	BAN1 REQUIRES VALID ACCOUNT NUMBER WHEN REQTYP=JB AND ACT= C,D
FTRLSR128	BILLING ACCOUNT NUMBER 1 VALID VALUE MUST BE 'N' WHEN FIELD LENGTH IS ONE CHARACTER
FTRLSR129	BAN1 BILLING ACCOUNT NUMBER 1 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH
FTRLSR130	WHEN BI1OR BI2 IS D THE ELT FIELD MUST BE POPULATED AND/OR A DL FORM IS REQUIRED
FTRLSR131	ATN VALID VALUE = N OR 10 NUMERIC
FTRLSR132	
FTRLSR133	BILLING ACCOUNT NUMBER IDENTIFIER 2 MAY ONLY BE D, L, P
FTRLSR134	BILLING ACCOUNT NUMBER 2 PROHIBITED
FTRLSR135	BILLING ACCOUNT NUMBER 2 IS PROHIBITED REQTYP=JB AND ACT= C,D
FTRLSR136	IF BILLING ACCOUNT NUMBER 2 IS ONLY 1 ALPHABETIC CHARACTER IT MUST BE N WHEN FIELD LENGTH IS ONE CHARACTER
FTRLSR137	BILLING ACCOUNT NUMBER 2 MAY ONLY BE 1, OR 10 CHARACTERS IN LENGTH
FTRLSR138	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR139	ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS
FTRLSR140	DFDT MUST BE 1145PM
FTRLSR141	TOS REQUIRED
FTRLSR142	BILLING NAME MAY NOT EXCEED 25 CHARACTERS
FTRLSR143	INVALID SPEICAL CHARACTERS IN BILL NAME
FTRLSR144	SECONDARY BILLING NAME MAY NOT EXCEED 25 CHARACTERS
FTRLSR145	INVALID SPEICAL CHARACTERS IN SECONDARY BILL NAME
FTRLSR146	TAX EXEMPT MAY ONLY BE F, S, C, M, A, B, K, D, E, G, H, I, J, L, N, P
FTRLSR147	STREET BILL ADDRESS MAY NOT EXCEED 25 CHARACTERS
FTRLSR148	INVALID SPECIAL CHARACTERS IN STREET
FTRLSR149	BILL FLOOR MAY NOT EXCEED 10 CHARACTERS
FTRLSR150	INVALID SPECIAL CHARACTERS IN FLOOR
FTRLSR151	BILL ROOM/MAIL STOP MAY NOT EXCEED 10 CHARACTERS
FTRLSR152	INVALID SPECIAL CHARACTERS IN ROOM/MAIL STOP
FTRLSR153	BILL CITY MUST BE 1 TO 32 CHARACTERS
FTRLSR154	INVALID SPECIAL CHARACTERS IN CITY
FTRLSR155	BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS
FTRLSR156	BILL ZIP/POSTAL CODE MAY NOT EXCEED 12 CHARACTERS
FTRLSR157	BILLING CONTACT MAY NOT EXCEED 25 CHARACTERS
FTRLSR158	INVALID SPECIAL CHARACTERS IN BILLCON
FTRLSR159	DDDO MUST BE LESS THAN OR EQUAL TO DDD
FTRLSR160	INITIATOR IDENTIFICATION MAY NOT EXCEED 25 CHARACTERS
FTRLSR161	INVALID SPECIAL CHARACTERS IN INIT
FTRLSR162	DDDO MUST BE LESS THAN OR EQUAL TO DDD
FTRLSR163	IMPLEMENTATION CONTACT IS REQUIRED WHEN CHC = Y, A OR B
FTRLSR164	IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS



Error Message Number	Error Message Text
	INVALID SPECIAL CHARACTERS IN IMPCON
FTRLSR165	
FTRLSR166	IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED
FTRLSR167	IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED
FTRLSR168	DDDO IS PROHIBITED
FTRLSR169	VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR170	IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 – 25 CHARACTERS
FTRLSR171	INVALID SPECIAL CHARACTERS IN PAGER
FTRLSR172	ALTERNATE IMPLEMENTATION CONTACT MAY NOT EXCEED 15 CHARACTERS
FTRLSR173	INVALID SPECIAL CHARACTERS IN ALT IMPCON
FTRLSR174	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS PROHIBITED
FTRLSR175	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER IS REQUIRED
FTRLSR176	APPTIME DDDO IS PROHIBITED WHEN SLI = B
FTRLSR177	ALTERNATE IMPLEMENTATION CONTACT PAGER NUMBER MUST BE 10 TO 25 CHARACTERS
FTRLSR178	VIRGULE (FORWARD SLASH) IN DATA MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR179	REMARKS MAY NOT EXCEED 500 CHARACTERS
FTRLSR180	VER MUST BE NUMERIC
FTRLSR181	ACTL HAS INVALID CHARACTERS
FTRLSR182	EBD_EFFECTIVE BILLING DATE LENGTH MUST BE 8 CHARACTERS
FTRLSR183	EBD_EFFECTIVE BILLING DATE DATA MUST BE NUMERIC
FTRLSR184	EBD_EFFECTIVE BILLING DATE MONTH MUST BE 01 TO 12
FTRLSR185	EBD_EFFECTIVE BILLING DATE DAY MUST BE 01 TO 31
FTRLSR186	DFDT MUST BE BETWEEN 0700AM AND 0700PM
FTRLSR187	PRODUCT ARRANGEMENT NOT VALID FOR REQTYP
FTRLSR188	ZIP/POSTAL CODE CONTAINS INVALID CHARACTERS
FTRLSR189	PROJECT INDICATOR IS PROHIBITED WHEN PROJECT IS NOT PRESENT
FTRLSR190	LSP AUTH NAME HAS INVALID SPECIAL CHARACTERS
FTRLSR191	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR BILL CONTACT TELEPHONE NUMBER
FTRLSR192	INITIATOR REQUIRED
FTRLSR193	INITIATOR TELEPHONE NUMBER REQUIRED
FTRLSR194	INITIATOR TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR195	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR INITIATOR TELEPHONE NUMBER
FTRLSR196	IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR197	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR IMPLEMENTATION CONTACT TELEPHONE NUMBER
FTRLSR198	ALTERNATE IMPLEMENTATION CONTACT TELEPHONE NUMBER MUST BE 10-14 CHARACTERS
FTRLSR199	HYPHEN IS THE ONLY SPECIAL CHARACTER ALLOWED FOR ALTERNATE IMPLEMENTATION CONTACT TELEPHONE
	NUMBER
FTRLSR200	INVALID SPECIAL CHARACTERS IN REMARKS
FTRLSR201	ONLY SPECIAL CHARACTER ALLOWED IN LSPAN IS HYPHEN
FTRLSR202	TOS IS REQUIRED
FTRLSR203	BILL CONTACT TEL NO MUST BE 10-14 CHARACTERS
FTRLSR204	LSP AUTHORIZATION DATE MUST BE 8 NUMERIC CHARACTERS – ALPHAS AND SPECIAL CHARACTERS ARE NOT
	ALLOWED



Error Message Number	Error Message Text
FTRLSR205	LSP AUTHORIZATION DATE MAY ONLY NUMERIC- ALPHA CHARACTERS OR SPECIAL CHARACTERS NOT ALLOWED
FTRLSR206	DATE/TIME SENT IS REQUIRED
FTRLSR207	DATE/TIME SENT MUST BE 14 CHARACTERS
FTRLSR208	DATE/TIME SENT MONTH MUST BE 01-12
FTRLSR209	DATE/TIME SENT DAY MUST BE 01 – 31
FTRLSR210	DATE/TIME SENT HOUR MUST BE 01-12
FTRLSR211	DATE/TIME SENT MINUTES MUST BE 00-59
FTRLSR212	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-12
FTRLSR213	PON CANNOT CONTAIN LOWER CASE ALPHA CHARACTERS
FTRLSR214	REQTYP IS A REQUIRED FIELD
FTRLSR215	ACT IS A REQUIRED FIELD
FTRLSR216	
FTRLSR217	BI1 WITH DATA OF D REQUIRED WHEN REQTYP = CB, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR218	ACT VALID VALUES = N, C, J, M, T, D, R, V, W, S, B, Y
FTRLSR219	AM OR PM REQUIRED IN POSITIONS 13 AND 14 ON D/TSENT
FTRLSR220	NC REQUIRED
FTRLSR221	SLI IS REQUIRED
FTRLSR222	
FTRLSR223	CHC VALUE OF A OR B INVALID
FTRLSR224	SCA CAN ONLY BE Y
FTRLSR225	SCA REQUIRED WITH SUP 7
FTRLSR226	SCA ONLY VALID WITH SUP 7
FTRLSR227	SUP 6 PROHIBITED FOR REQTYP
FTRLSR228	REQTYP DB PROHIBITED FOR TOS
FTRLSR229	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR230	POSITION 2 TOS INVALID FOR STATE
FTRLSR231	TOS POSITION 2 INVALID FOR REQTYP
FTRLSR232	CHC REQUIRED
FTRLSR233	SUP 6, 7 PROHIBITED
FTRLSR234	MUST POPULATE VALID SPEC
FTRLSR235	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR236	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR237	AENG IS PROHIBITED WHEN SUP NOT = 6
FTRLSR238	AENG CAN ONLY BE Y
FTRLSR239	PRODUCT PROHIBITED ON LSR, MUST BE SUBMITTED ON ASR
FTRLSR240	SPECIAL CHARACTERES NOT ALLOWED IN CC
FTRLSR241	NNSP IS ALPHA/NUMERIC
FTRLSR242	SPECIAL CHARACTERS IN SACTL CAN ONLY BE HYPHEN , SPACE
FTRLSR243	LST SPECIAL CHARACTERS CAN ONLY BE HYPHEN, SPACE
FTRLSR244	DFDT MUST BE BETWEEN 0800AM AND 0500PM
FTRLSR245	PAGER WHEN A VIRGULE IS USED IT MUST BE PRECEDED AND FOLLOWED BY A NUMERIC
FTRLSR246	RORD CAN ONLY BE ALPHA/NUMERIC



Error Message Number	Error Message Text
FTRLSR247	LSP AUTH IS ALPHA NUMERIC
FTRLSR248	TOS POSITION 4 MUST EQUAL 1 OR 2
FTRLSR249	APPTIME DDDO IS PROHIBITED
FTRLSR250	AENG REQUIRED WHEN SUP = 6
FTRLSR251	LSO CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR252	CHC IS REQUIRED
FTRLSR253	CHC IS PROHIBITED
FTRLSR254	REQTYP EB PROHIBITED FOR TOS
FTRLSR255	SLI VALID VALUE = S WHEN REQTYP = DB
FTRLSR256	SLI IS REQUIRED
FTRLSR257	SLI IS PROHIBITED
FTRLSR258	BI2 IS PROHIBITED WHEN THE REQTYP IS CB AND THE ACT IS V AND THE EU ELT FIELD IS B OR BLANK
FTRLSR259	EXP FIELD PROHIBITED
FTRLSR260	PROJECT REQUIRED WHEN EU.AAI = NEW ADDR
FTRLSR261	SUSPEND ACTIVITY PROHIBITED
FTRLSR262	SUSPEND ACTIVITY PROHIBITED
FTRLSR263	NC IS REQUIRED
FTRLSR264	NC IS REQUIRED
FTRLSR265	ACTIVITY PROHIBITED
FTRLSR266	NEW NETWORK SERVICE PROVIDER IDENTIFICATION REQUIRED
FTRLSR267	FIRST CHARACTER OF TYPE OF SERVICE MAY ONLY BE 1 OR 2 FOR WHOLESALE BROADBAND
FTRLSR268	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR269	ACCESS CUSTOMER TERMINAL LOCATION IS REQUIRED
FTRLSR270	WHOLESALE BROADBAND INVALID FOR REQTYP
FTRLSR271	SECOND CHARACTER OF TYPE OF SERVICE MAY ONLY BE A, B OR 7 FOR WHOLESALE BROADBAND
FTRLSR272	FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE S OR L FOR WHOLESALE BROADBAND
FTRLSR273	THIRD CHARACTER OF TYPE OF SERVICE MUST EQUAL B WITH STANDALONE BROADBAND
FTRLSR274	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR275	TOS POS 4 = V NOT VALID FOR REQTYP
FTRLSR276	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR277	NETWORK CHANNEL CODE IS REQUIRED
FTRLSR278	
FTRLSR279	LOCAL SERVICE PROVIDER AUTHORIZATION REQUIRED
FTRLSR280	BILLING ACCOUNT NUMBER 1 IS REQUIRED WHEN REQTYP = JB, ACT = N
FTRLSR281	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR282	ACCESS CUSTOMER NAME ABBREVIATION IS REQUIRED
FTRLSR283	ACCESS CUSTOMER NAME ABBREVIATION MAY ONLY BE 3 ALPHA CHARACTERS
FTRLSR284	BILL STATE MAY ONLY BE 2 ALPHA CHARACTERS
FTRLSR285	PID MUST NOT EXCEED 5 ALPHA NUMERIC CHARACTERS
FTRLSR286	BAN1 CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR287	ACT VALID VALUE = L IS PROHIBITED
FTRLSR288	PRODUCT ARRANGEMENT VALID VALUE = A, B, C, D



Error Message Number	Error Message Text
FTRLSR289	DFDT PROHIBITED
FTRLSR290	PRODUCT ARRANGEMENT NOT VALID FOR SERVICE TERRITORY
FTRLSR291	NEW NETWORK SERVICE PROVIDER IDENTIFICATION PROHIBITED
FTRLSR292	SECNCI IS PROHIBITED
FTRLSR293	TOS POSITION 3 INVALID FOR REQTYP
FTRLSR294	ADET VALID VALUE = A
FTRLSR295	DATE/TIME SENT MUST BE NUMERIC IN POSITION 1-8
FTRLSR296	BILLING ACCOUNT NUMBER IDENTIFIER 1 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END
1 11(201(200	USER MLTN AND BI2 IS NOT EQUAL TO D
FTRLSR297	SUP VALID VALUE = 6 IS PROHIBITED
FTRLSR298	INVALID SPECIAL CHARACTERS
FTRLSR299	DL FORM REQUIRED
FTRLSR300	TOS INVALID FOR SERVICE TERRITORY
FTRLSR301	SUP VALID VALUE = 6, 7 IS PROHIBITED WHEN SDP = C, E, F, G, M
FTRLSR302	BI1 WITH DATA OF D REQUIRED WHEN REQTYPEBB and ACT=V, BI2 IS NOT D AND EITHER ELT = A OR DL FORM IS
	POPULATED
FTRLSR303	BILLING ACCOUNT NUMBER 2 VALID VALUE OF N ONLY ALLOWED WHEN BI2 = D, P
FTRLSR304	BILLING ACCOUNT NUMBER 2 IS REQUIRED WHEN REQTYP = JB
FTRLSR305	BAN2 CANNOT CONTAIN SPECIAL CHARACTERS
FTRLSR306	EXP IS PROHIBITED
FTRLSR307	BI2 WITH VALUE OF D REQUIRED
FTRLSR308	BI2 WITH DATA OF D REQUIRED NORTH WHEN REQTYP=CB, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS
	POPULATED
FTRLSR309	BI2 WITH DATA OF D REQUIRED WHEN REQTYP=BB and ACT=V, BI1 IS NOT D AND EITHER ELT = A OR DL FORM IS
	POPULATED
FTRLSR310	BI2 WITH DATA OF D REQUIRED WHEN REQTYP = CBBI1 IS NOT D AND EITHER ELT = A OR DL FORM IS POPULATED
FTRLSR311	ACTIVITY PROHIBITED
FTRLSR312	BILLING ACCOUNT NUMBER IDENTIFIER 2 MUST BE D WHEN THE BAN1 OR BAN2 FIELD DOES NOT EQUAL THE END
	USER MLTN AND BI1 IS NOT EQUAL TO D
FTRLSR313	NEW NETWORK SERVICE PROVIDER PROHIBITED FOR REQTYP
FTRLSR314	TOS COMBINATION INVALID
FTRLSR315	NUMBER PORTABILITY DIRECTION PROHIBITED
FTRLSR316	PAGER PROHIBITED WHEN IMPCON NOT POPULATED
FTRLSR317	PAGER PROHIBITED WHEN ALT IMPCON NOT POPULATED
FTRLSR318	REMARKS REQUIRED WHEN SUP 3
FTRLSR319	VALUE OF CUS PROHIBITED WITH TOS SELECTED
FTRLSR320	DDDO NOT ALLOWED FOR REQTYP
FTRLSR321	ACT N PROHIBITED WITH SELECTED TOS
FTRLSR322	DFDT PROHIBITED
FTRLSR323	APPTRESID IS PROHIBITED
FTRLSR324	NOR VALID VALUE FOR POSITIONS 1 AND 2 IS 01-99 AND POSITIONS 3 AND 4 IS 02-99
FTRLSR325	ONSP IS REQUIRED



	Error Message Text
	DSPTCH PROHIBITED
	ACTIVITY PROHIBITED
	CHC VALUE REQUIRES DFDT OF 1100PM
	CHC VALUE REQUIRES DFDT OF 1145PM
	APPTIME DDDO NOT ALLOWED FOR REQTYP
	PID FIELD PROHIBITED WHEN NPDI DOES NOT EQUAL C AND POS 1 OF TOS DOES NOT EQUAL 2
	ACT MUST = C,D,V
	COMPANY CODE IS REQUIRED
	EXP PROHIBITED FOR TOS VALUE
	ACT MUST BE C, D OR N WHEN SLI IS C OR V
	PRODUCT NOT AVAILABLE
FTRLSR337	PRODUCT NOT AVAILABLE
	LOCATION QUANTITY MAY NOT EXCEED 3 NUMERIC CHARACTERS
FTRLSR339	
	ACT MUST = N,C,D,R,V
	ONSP IS PROHIBITED
FTRLSR342	
FTRLSR343	
	APPTRESID NOT VALID FOR REQTYP
	APPTRESID MUST NOT EXCEED 10 ALPHA NUMERIC CHARACTERS
	DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI1 IS D
	DL FORM REQUIRED FOR REQTYP/ACT COMBINATION WHEN BI2 IS D
	ACTL REQUIRED WHEN CI IS E
	DFDT IS REQUIRED WHEN CI IS E
	EXP PROHIBITED WHEN CI IS E
	IMPLEMENTATION CONTACT IS REQUIRED
	NETWORK CHANNEL CODE IS REQUIRED
	AGENCY AUTHORIZATION STATUS DATA MUST BE Y OR Z
FTRLSR354	INVALID AGENCY AUTHORIZATION STATUS VALUE FOR REQTYP
	ACTL REQUIRED
FTRLSR356	ACTL IS PROHIBITED
FTRLSR357	
	LSO IS REQUIRED
FTRLSR359	LSO PROHIBITED WHEN REQTYP=JB
FTRLSR360	TOS VALID VALUE FOR POSITION 1 = 3 IS PROHIBITED WHEN REQTYP = DB
FTRLSR361	
FTRLSR362	TOS POSITION 4 MUST EQUAL N OR HYPHEN FOR RESALE COIN SERVICE
FTRLSR363	
FTRLSR364	AC IS PROHIBITED
	AC IS PROHIBITED WHEN LNA = T
	AC VALID VALUE = A
	SPEC IS PROHIBITED FOR REQTYP



Error Message Number	Error Message Text
FTRLSR368	NC IS PROHIBITED FOR REQTYP
FTRLSR369	NC IS REQUIRED
FTRLSR370	RPON IS PROHIBITED
FTRLSR371	LSP AUTH IS REQUIRED
FTRLSR372	NPDI IS REQUIRED
FTRLSR373	NPDI VALID VALUE = B, D
FTRLSR374	BI1 IS PROHIBITED FOR REQTYP
FTRLSR375	BI2 IS PROHIBITED FOR REQTYP
FTRLSR376	ACNA IS REQUIRED
FTRLSR377	
FTRLSR378	BILLNM IS PROHIBITED FOR REQTYP
FTRLSR379	SBILLNM IS PROHIBITED FOR REQTYP
FTRLSR380	STREET IS PROHIBITED FOR REQTYP
FTRLSR381	FLOOR IS PROHIBITED FOR REQTYP
FTRLSR382	ROOM/MAIL STOP IS PROHIBITED FOR REQTYP
FTRLSR383	CITY IS PROHIBITED FOR REQTYP
FTRLSR384	STATE IS PROHIBITED FOR REQTYP
FTRLSR385	ZIP IS PROHIBITED FOR REQTYP
FTRLSR386	BILLCON IS PROHIBITED FOR REQTYP
FTRLSR387	TEL NO IS PROHIBITED FOR REQTYP
FTRLSR388	IMPCON IS REQUIRED
FTRLSR389	IMPCON IS REQUIRED
FTRLSR390	ALT IMPCON IS PROHIBITED FOR REQTYP
FTRLSR391	DDDO MUST BE LESS THAN OR EQUAL TO DDD
FTRLSR392	CHC IS REQUIRED FOR REQTYP/ACT
FTRLSR393	CHC IS PROHIBITED FOR REQTYP/ACT
FTRLSR394	SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP
FTRLSR395	TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP
FTRLSR396	PRODUCT ARRANGEMENT IS REQUIRED FOR REQTYP
FTRLSR397	
FTRLSR398	ACT INVALID FOR REQTYP
FTRLSR399	
FTRLSR400	ACT VALID VALUE = S, T IS PROHIBITED FOR TOS
FTRLSR401	ONSP IS REQUIRED FOR NPI
FTRLSR402	ONSP IS PROHIBITED FOR NPI
FTRLSR403	ONSP IS REQUIRED FOR NPI
FTRLSR404	ONSP IS PROHIBITED FOR NPI
FTRLSR405	ACTL IS REQUIRED FOR REQTYP/ACT
FTRLSR406	ACTL IS REQUIRED FOR REQTYP/ACT
FTRLSR407	LST IS REQUIRED FOR REQTYP/ACT
FTRLSR408	TOS VALID VALUE FOR POSITION 3 = F, M
FTRLSR409	TOS VALID VALUE FOR POSITION 3 = HYPHEN



Error Message Number	Error Message Text
FTRLSR410	
FTRLSR411	SPEC IS REQUIRED FOR REQTYP/ACT
FTRLSR412	SPEC VALID VALUE = IOC I, IOC J, IOC J2, IOC K, IOC M, IOC R, IOC S
FTRLSR413	NC IS REQUIRED FOR LTOS
FTRLSR414	NC IS REQUIRED
FTRLSR415	NC IS REQUIRED
FTRLSR416	NPDI IS REQUIRED FOR NPI
FTRLSR417	NPDI VALID VALUE = B, D
FTRLSR418	NPDI IS REQUIRED FOR NPI
FTRLSR419	NPDI VALID VALUE = B, D
FTRLSR420	NPDI IS REQUIRED FOR NPI
FTRLSR421	NPDI VALID VALUE = B, D
FTRLSR422	NPDI IS REQUIRED FOR NPI
FTRLSR423	NPDI VALID VALUE = B, D
FTRLSR424	NPDI IS PROHIBITED FOR NPI
FTRLSR425	NPDI IS PROHIBITED FOR NPI
FTRLSR426	NPDI IS PROHIBITED FOR NPI
FTRLSR427	NPDI IS PROHIBITED FOR NPI
FTRLSR428	NPDI IS PROHIBITED FOR NPI
FTRLSR429	IMPCON IS REQUIRED FOR LNA
FTRLSR430	IMPCON IS REQUIRED FOR LNA
FTRLSR431	IMPCON IS REQUIRED FOR LNA
FTRLSR432	IMPCON IS REQUIRED FOR TNA
FTRLSR433	IMPCON IS REQUIRED FOR LNA
FTRLSR434	IMPCON IS REQUIRED FOR LNA
FTRLSR435	DATE/TIME SENT SECONDS MUST BE 00-59
FTRLSR436	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 13:00:00-17:00:00
FTRLSR437	APPOINTMENT TIME MAY ONLY BE 08:00:00-12:00:00, 08:00:00-11:00:00, 13:00:00-17:00:00, 15:00:00-19:00:00
FTRLSR438	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR439	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR440	ANALOG LOOP PRODUCT NOT AVAILABLE
FTRLSR441	
FTRLSR442	
FTRLSR443	
FTRLSR444	
FTRLSR445	DATE/TIME SENT MUST BE 16 CHARACTERS
FTRLSR446	DATE/TIME SENT MONTH MUST BE 01-12
FTRLSR447	DATE/TIME SENT DAY MUST BE 01 – 31
FTRLSR448	DATE/TIME SENT HOUR MUST BE 01-24
FTRLSR449	DATE/TIME SENT MINUTES MUST BE 00-59
FTRLSR450	BI1 AND BI2 MAY NOT APPEAR ON THE SAME ORDER
FTRLSR451	BI2 AND BI1 MAY NOT APPEAR ON THE SAME ORDER



Error Message Number	Error Message Text
FTRLSR452	RESEND NOT SUPPORTED
FTRLSR453	SUP IS REQUIRED
FTRLSR454	VER MUST BE INCREMENTED ON SUP ORDERS
FTRLSR455	
FTRLSR456	BAN1 IS REQUIRED WHEN BI1 IS PRESENT
FTRLSR457	BAN2 IS REQUIRED WHEN BI2 IS PRESENT
FTRLSR458	BIT IS REQUIRED
FTRLSR459	BI2 IS REQUIRED
FTRLSR460	SUP IS PROHIBITED ON A BILLING COMPLETION OR PROVISIONING COMPLETION.
FTRLSR461	REQTYP CANNOT CHANGE ON SUPPLEMENT ORDERS
FTRLSR462	ACT CANNOT CHANGE ON SUPPLEMENT ORDERS
FTRLSR463	SUP IS PROHIBITED ON CANCEL ORDERS
FTRLSR464	NRI PROHIBITED
FTRLSR465	ACTL REQUIRED
FTRLSR466	
FTRLSR467	ATN MUST BE 10 DIGIT NUMERIC
FTRLSR468	ACT W PROHIBITED FOR REQTYP DB
FTRLSR469	TOS POSITION 4 MUST EQUAL 2 FOR 4 WIRE LOOP
FTRLSR470	IMPLEMENTATION CONTACT IS REQUIRED
FTRLSR471	EMAIL REQUIRED
FTRLSR472	
FTRLSR473	DSPTCH VALID VALUE = Y
FTRLSR474	
FTRLSR475	PROJECT REQUIRED
FTRLSR476	
FTRLSR477	
FTRLSR478	ACT W PROHIBITED
FTRLSR479	
FTRLSR480	ACT J PROHIBITED FOR REQTYP
FTRLSR481	INVALID ACT FOR REQTYP
FTRLSR482	
FTRLSR483	AN PROHIBITED
FTRLSR484	AN VALID VALUE = 10 DIGIT NUMERIC
FTRLSR485	ADET PROHIBITED FOR REQTYP
FTRLSR486	SUP 3 REQUIRES REMARKS
FTRLSR487	SUP = 4 PROHIBITED
FTRLSR488	SUP = 5 PROHIBITED
FTRLSR489	
FTRLSR490	
FTRLSR491	SUP INVALID FOR REQTYP
FTRLSR492	SUP VALID VALUE = 1,2,3 WHEN REQTYP=CB
FTRLSR493	SCA PROHIBITED



Error Message Number	Error Message Text
FTRLSR494	SACTL REQUIRED
FTRLSR495	POSITIONS 1-8 OF SACTL MUST = POSITIONS 1-8 OF ACTL
FTRLSR496	LST REQUIRED
FTRLSR497	LST PROHIBITED
FTRLSR498	LSO REQUIRED
FTRLSR499	
FTRLSR500	
FTRLSR501	LSO REQUIRED
FTRLSR502	LSO MUST BE NUMERIC
FTRLSR503	LSO REQUIRED
FTRLSR504	
FTRLSR505	
FTRLSR506	
FTRLSR507	LSO PROHIBITED
FTRLSR508	TOS POSITION 2 INVALID
FTRLSR509	TOS POSITION 3 INVALID
FTRLSR510	TOS POSITION 4 INVALID
FTRLSR511	TOS POSITION 4 INVALID
FTRLSR512	TOS POSITION 2 = HYPHEN PROHIBITED IF REQTYP DOES NOT = JB
FTRLSR513	TOS POSITION 3 MUST = M WHEN REQTYP=FB
FTRLSR514	DL FORM PROHIBITED WHEN POSITION 2 OF TOS=R
FTRLSR515	TOS POSITION 2 MUST = A,D,E,J,P,Q WHEN HGI.HA IS POPULATED
FTRLSR516	TOS INVALID
FTRLSR517	TOS POSITION 3 CANNOT = M WHEN REQTYP=AB AND TOS POSITION 2 = R
FTRLSR518	TOS POSITION 2 MUST = J,Q WHEN REQTYP=NB
FTRLSR519	TOS POSITION 1 VALUE MUST = 1 WHEN AC=C
FTRLSR520	TOS POSITION 1 VALUE MUST = 2 WHEN AC=B
FTRLSR521	
FTRLSR522	
FTRLSR523	DL FORM REQUIRED
FTRLSR524	ACT PROHIBITED WITH REQTYP
FTRLSR525	LSP AUTH NAME REQUIRED
FTRLSR526	LSP AUTH NAME PROHIBITED
FTRLSR527	CUST REQUIRED
FTRLSR528	CUST PROHIBITED
FTRLSR529	EMAIL CANNOT EXCEED 60 CHARACTERS
FTRLSR530	FAX NO MUST BE 10 DIGIT NUMERIC
FTRLSR531	
FTRLSR532	AN REQUIRED
FTRLSR533	ACT PROHIBITED WITH REQTYP
FTRLSR534	NC IS REQUIRED
FTRLSR535	





APPENDIX B – CHANGE CONTROL LOG

DATE	FIELD	REVISION NUMBER	CHANGE
07/16/2021	All	October 2021 Release	Update version to 9.30.24
07/30/2021	ACT – 031	October 2021 Release	Change Rule: From: 7. If populated and vv = B, S and position 1 of REQTYP = D, E and position 2 of TOS = E or position 3 of TOS = B, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED To: 7. If populated and vv = B, S and position 1 of REQTYP = D, E and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED
07/30/2021	EXP – 035	October 2021 Release	Change Rule: From: 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = C, D, E, F, G, then return error: FTRLSR306 EXP IS PROHIBITED To: 6. If populated and position 3 of PS.LTOS = B or position 4 of LTOS = L, S and PS.SDP = A, B, C, D, E, F, G, M then return error: FTRLSR306 EXP IS PROHIBITED
10/01/2021	ACT – 031	October 2021 Release POST 45-Day Final Revision	Change Rule: From: 7. If populated and vv = B, S and position 1 of REQTYP = D, E and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED To: 7. If populated and vv = B, S and position 2 of TOS = E, then return error: FTRLSR287 ACT VALID VALUE = B, S IS PROHIBITED
10/01/2021	TOS – 059	October 2021 Release POST 45-Day Final Revision	Change Rule: From: 34.If populated and (position 3 = B or position 4 = L) and REQTYP does not = DB or (REQTYP does not = EB and ACT=C and LNA=C), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYP To: 34.If populated and (position 3 = B or position 4 = L) and (REQTYP does not = DB) and (REQTYP does not = EB and ACT=C, B, S and LNA=C, B, S)), return error FTRLSR270 WHOLESALE BROADBAND INVALID FOR REQTYP
07/15/2022	All	Oct 2022 Release	Update version to 9.30.25
07/25/2022	APPTRESID – 035a	October 2022 Release	Add Field Note: Once a firm LSR is submitted, the Appointment Time may not be updated with new APPTRESID number on supplemental activity.
07/25/2022	ACT – 031	October 2022 Release	 Add New Rules: 22. If REQTYP=QB and the 2nd Character of the TOS =H and the ACT is not equal to D or (ACT C with LNA=D), return error: FTRLSR265 ACTIVITY PROHIBITED 23. If REQTYP=LB and the ACT is not equal to D or (ACT C with LNA=D), then error FTRLSR311 ACTIVITY PROHIBITED 24. If Populated and the vv = S and the POS 1 of TOS =1 and the Reqtyp = EB, return error FTRLSR394 SUSPEND ACTIVITY IS PROHIBITED FOR TOS AND REQTYP



Version: 9.30.28

DATE	FIELD	REVISION NUMBER	CHANGE
07/25/2022	NC – 062	October 2022 Release	Change Rule: From: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and position 3 of TOS does not = B and position 4 of TOS does not = S, return error FTRLSR534 NC IS REQUIRED To: 12. If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S), or 4 of TOS does not =V, return error FTRLSR534 NC IS REQUIRED
07/25/2022	REQTYP – 028	October 2022 Release	Update Header: Change REQTYP DB Description to: Wholesale Platform/Wholesale VOIP
07/25/2022	SLI – 030	October 2022 Release	Change Rule: From: 8.If not populated and (REQTYP=DB and ACT does not = J) and NPA NXX is Frontier 13 and (position 3 LSR.TOS does not = B, P and position 4 LSR.TOS does not = S, L), return error FTRLSR221 SLI IS REQUIRED To: 8.If not populated and (REQTYP=DB and ACT does not = J) and NPA NXX is Frontier 13 and position 3 LSR.TOS does not = B, P or position 4 LSR.TOS does not = S, L, V, return error FTRLSR221 SLI IS REQUIRED
07/25/2022	TOS – 059	October 2022 Release	 Update Header – Add Value 'V' in position 4 - V = VoIP Change Rule From: 7. If populated and position 4 of vv does not = F, G, N, P, R, W, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, W, - (hyphen), 1, 2, S, L To: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L Add New Rules: 44. If populated and position 4 of vv = V and REQTYP does not = DB, return error: FTRLSR275 TOS POS 4 = V NOT VALID FOR REQTYP 45. If Populated and the position 4 of vv = V and the position 2 of vv is not = to A or B, and position 3 of vv is not equal to F, return error FTRLSR395 TOS POS 2 MUST EQUAL A or B AND TOS POS 3 MUST EQUAL F WHEN ORDERING VOIP
03/17/2023	All	June 2023 Release	Update version to 9.30.26
04/05/2023	REQTYP – 028	June 2023 Release	Add New Rule: 7. If REQTYP is DB and the ACT is not D or C w/LNA =D and the 2nd character of the TOS =E, C, T, then error FTRLSR327 ACTIVITY PROHIBITED



Version: 9.30.28

DATE	FIELD	REVISION NUMBER	CHANGE
04/05/2023	ACT – 031	June 2023 Release	Document Changes Only:
			Change Rule From: 22.If REQTYP=QB and the 2nd Character of the TOS =H and the ACT is not equal to D or (ACT C with LNA=D), return error: FTRLSR265 ACTIVITY PROHIBITED
			To: 22. If REQTYP=QB and the 2nd Character of the TOS =H and ((the ACT is not equal to D) or (ACT = C and LNA=D)), return error: FTRLSR265 ACTIVITY PROHIBITED
			Change Rule From: 23. If REQTYP=LB and the ACT is not equal to D or (ACT C with LNA=D), then error FTRLSR311 ACTIVITY PROHIBITED
			To: 23. If REQTYP=LB and ((the ACT is not equal to D) or (ACT = C and LNA=D)), then error FTRLSR311 ACTIVITY PROHIBITED
04/05/2023	NC – 062	June 2023 Release	Document Changes Only:
			Change Rule From: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S), or 4 of TOS does not =V, return error FTRLSR534 NC IS REQUIRED To: 12.If not populated and (REQTYP=DB and ACT does not = J), and NPA NXX is Frontier 13 or
			EU.STATE=CT and (position 3 of TOS does not = B and position 4 of TOS does not = S, V), return error FTRLSR534 NC IS REQUIRED
11/20/2023	NC-062	February 2024 Release	Add new rule: 21. If populated and vv = LX-N, HF-6, HF-D and the NCI vv = 04QB6.33 and the ACT is not D, return error FTRLSR336 PRODUCT NOT AVAILABLE
11/20/2023	ACT-031	February 2024 Release	Delete Rule: 21.If populated and vv = V and REQTYP = DB and position 3 of TOS = B and position 4 of TOS = S, return error FTRLSR278 ACTIVITY PROHIBITED
			Re-numbered remaining usage edits
07/12/2024	All	October 2024 Release	Update Version to 9.30.28



Version: 9.30.28

DATE	FIELD	REVISION NUMBER	CHANGE
7/29/2024	TOS-059	October 2024 Release	Update Header – Add Value 'B' and "O" in position 4 – B=Pots in a Box, O= SIP over the top Voice
			Changed rule from: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W,- (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W, - (hyphen), 1, 2, S, L, Change rule to: 7. If populated and position 4 of vv does not = F, G, N, P, R, V, W,B,O, - (hyphen), 1, 2, S, L, return error: FTRLSR086 FOURTH CHARACTER OF TYPE OF SERVICE MAY ONLY BE F, G, N, P, R, V, W,B,O - (hyphen), 1, 2, S, L, Added rule: 46. If populated and position 4 of vv = B,O and REQTYP does not = EB, return error: FTRLSR038 REQ TYPE MUST EQUAL EB IF TOS POS 4 = B,O